

| BEECHCRAFT SPECIFICATION LIST | | | Revised | 10/11/2021 |
|--------------------------------------|--|------------|---------------------|------------|
| Doc # | Title | Rev | Release Date | |
| BS1000 | SUBSTITUTION, PREFERRED ITEM AND SOURCE OF SUPPLY DATABASE | 1 | 6/4/2010 | |
| BS13777 | BEECH PROCESS SPECIFICATION ELECTROPOLISHING | 0 | 12/16/1964 | |
| BS15455 | FUSION WELDING OF ALUMINUM AND ALUMINUM ALLOYS | 0 | 10/8/1971 | |
| BS15607 | ELECTRON BEAM WELDING | 00C | 7/18/1973 | |
| BS15633 | FUSION WELDING OF COMPONENTS AND ASSEMBLIES | 0 | 2/14/1974 | |
| BS160 | SPECIFICATION FOR MILD STEEL | 00F | 10/19/1969 | |
| BS1720 | REQUIREMENTS FOR SWAGED TYPE CABLE ASSEMBLY TERMINALS | 00A | 12/20/2000 | |
| BS1786 | NICKEL PLATING ELECTROLESS | 00A | 10/13/1959 | |
| BS178928 | PAINTS AND COATINGS EVALUATION TEST METHODS FOR ALL MODELS | 2 | 1/5/2007 | |
| BS182011 | CORROSION AND PAINT ADHESION COATINGS FOR LEAD ALLOYS | 2 | 2/1/2007 | |
| BS184583 | WELDING PROCEDURE SPECIFICATION AND PERFORMACE QUALIFICATION | 2 | 9/27/2004 | |
| BS186869 | THERMAL COATINGS PROCESS SPECIFICATION | 3 | 9/14/2009 | |
| BS188178 | SUPERSEDURE SPECIFICATION FOR PAINT PRODUCTS | 5 | 7/3/2015 | |
| BS191 | STEEL FOR AIRCRAFT FORGINGS WITH MAXIMUM SECTION OF 3/4 INCH | 00E | 6/17/1958 | |
| BS1916 | EDGE ATTACHMENTS ON TRANSPARENT ACRYLIC | 0 | 11/16/1956 | |
| BS1996 | JOINING PLASTIC LAMINATES | 00A | 10/15/1959 | |
| BS201 | ADHESIVES, CEMENTS, AND SEALERS, APPLICATION AND USE OF | 40 | 6/29/2021 | |
| BS20548 | FINISH SPECIFICATION MODEL 115 INTEGRAL FUEL TANK | 00A | 9/2/1998 | |
| BS20549 | SEALING SPECIFICATION MODEL 115 INTEGRAL FUEL TANK | 0 | 10/4/1966 | |
| BS20550 | PAINT FINISH FOR MODEL 115 INTEGRAL FUEL TANK | 00A | 9/2/1998 | |
| BS20615 | FABRICATION OF GLASS FABRIC BASE LAMINATES | 4 | 9/3/2015 | |
| BS20661 | MODEL 115 PRESSURIZATION SEALING | 0 | 12/30/1966 | |
| BS20804 | ADHESIVES, SEALERS AND FILLERS - CONTROL OF TWO PART | 16 | 6/29/2021 | |
| BS21824 | ULTRASONIC JOINING OF THERMOPLASTICS | 0 | 2/13/1970 | |
| BS21891 | INTEGRAL FUEL TANK | 3 | 1/7/2008 | |
| BS22064 | LEAD ANTIMONY ALLOY, PIG | 2 | 6/11/2010 | |
| BS22266 | INSTALLATION PROCEDURE FOR PNEUMATIC TYPE DEICER BOOTS | 7 | 1/6/2012 | |
| BS22272 | POLYURETHANE SELF SKINNING FOAM | 0 | 10/24/1972 | |
| BS22310 | COMPOUND EPOXY | 0 | 3/9/1973 | |
| BS22455 | FINISHING PROCEDURE FOR MODELS USING URETHANE FINISHES | 27 | 1/16/2018 | |
| BS233 | MOLDED PHENOLIC PARTS | 00E | 1/23/1967 | |

| | | | |
|---------------|---|-----------|------------|
| BS23313 | PRESSURIZATION SEALING SPEC | 00B | 4/10/1981 |
| BS23673 | FINISH SPECIFICATION | 00G | 10/27/1992 |
| BS23717 | TEST METHODS FOR COMPOSITES | 00C | 10/13/1993 |
| BS23718 | GRAPHITE (CARBON)/EPOXY PREPREG RESIN SYSTEM, 250-350°F CURING | 1/10/1900 | 3/13/2011 |
| BS23721 | ARAMID FIBER/EPOXY PREPREG 300-350F CURING | 00A | 8/10/1989 |
| BS23722 | BEECH SPECIFICATION MATERIALS FIBERGLASS/EPOXY PREPREG 250 | 12 | 7/1/2004 |
| BS23724 | ADHESIVE FILM STRUCTURAL MOD EPOXY 250 - 350 F CURING | B | 3/15/1992 |
| BS23725 | ADHESIVE FILM STRUCTURE MODIFIED EPOXY 300° TO 350° F CURING | 6 | 8/29/2008 |
| BS23726 | ADHESIVE STRUCTURAL PASTE MOD EPOXY 250 - 350 F CURING | 00B | 3/5/1992 |
| BS23727 | ADHESIVE PASTE TWO-PART EPOXY | 7 | 8/9/2010 |
| BS23728 | ADHESIVE FILM, EXPANDABLE | 7 | 3/18/2019 |
| BS23729 | POTTING COMPOUNDS 250° TO 370°F CURING | 7 | 11/15/2005 |
| BS23731D-PSD5 | SECONDARY MATERIALS FOR METAL BONDING AND COMPOSITE BONDING | 1 | 10/17/2008 |
| BS23733 | CLEAN ROOM REQUIREMENTS FOR COMPOSITES BINDING PRIMER APPS | 00C | 1/26/1995 |
| BS23744 | EDGE FILLING POTTING AND INSERT POTTING OF HONEYCOMB ASSEMBLIES | 00A | 3/4/1992 |
| BS23772 | FABRICATION USING FIBERGLASS/EPOXY PREPREG 300-350 CURING | 00A | 8/16/1989 |
| BS23773 | STRUCTURAL BOND COMPOSITES USING 250 - 350 F CURING ADHESIVE | 4 | 6/21/1988 |
| BS23818 | ROOM TEMPERATIURE EDGE FILL FOR HONEYCOMB | 5 | 11/2/2005 |
| BS23865 | CORROSION INHIBITING ADHESIVE PRIMER | 7 | 7/1/2014 |
| BS23960 | UNIDIRECTIONAL FIBERGLASS EPOXY PREPREG 250 - 350 F CURING | 3 | 3/31/2014 |
| BS23966 | MATERIAL AND FABRICATION REQUIREMENTS FOR REINFORCED FIBER/BISMALEIMIDE PREPREG | 5 | 12/5/2018 |
| BS24162 | HIGH STRENGTH COMPOSITE FASTENERS | 0 | 2/18/1986 |
| BS24190 | FINISHING OF RADOMES & RELATED ITEMS | 11 | 9/28/2015 |
| BS2430 | ADHESIVE METAL BONDING | 00B | 4/4/1958 |
| BS24554 | PHOSPHORIC ACID ANODIZING OF ALUMINUM ALLOYS FOR STRUCTURAL BONDING | 4 | 3/5/2007 |
| BS24632 | FIBERGLASS/EPOXY PREPREG FOR INTERIOR ELECTRICAL APPLICATIONS | 00A | 9/13/1994 |
| BS24749 | INDEX OF SPECIFICATIONS, STANDARDS, AND OTHER PUBLICATIONS APPLICABLE TO THE SUPER KING AIR MODELS B200, B200C, B200T, B200CT, B200CGT, B200GT, 300, 300LW, B300, B300C | 14 | 7/30/2021 |
| BS24757 | FINISH CODES FOR CORROSION PROTECTION PRIOR TO TOP COATING | 6 | 7/1/2014 |
| BS24790 | INSTALLATION & STAKING OF BEARING, BUSHINGS AND GENERAL | 3 | 9/16/2004 |
| BS24942 | RAW MATERIAL SUBSTITUTION SPEC | 16 | 5/18/2021 |
| BS24944 | GRAPHITE (CARBON)/EPOXY PREPREG TOUGHENED RESIN SYSTEM 350F CURING | 10 | 8/26/2013 |

| | | | |
|--------------|--|-----|------------|
| BS25017 | ALUMINUM ALLOY CORE | 4 | 1/22/2019 |
| BS25032 | CORROSION RESISTANT FUEL CELL EPOXY PRIMER | 4 | 3/31/2011 |
| BS25065 | FINISH SPECIFICATION FOR THE MODEL 390 | 13 | 8/28/2012 |
| BS25066 | SUBSTITUTION SPECIFICATION FOR PREFERRED HARDWARE PARTS | 65 | 5/7/2010 |
| BS25116 | PRINCIPAL STRUCTURAL ELEMENTS, FRACTURE CRITICAL PARTS, AND DURABILITY CRITICAL | 14 | 7/8/2011 |
| BS25210 | NON-ANODIZED SURFACE PREPARATION OF METALS PRIOR TO | 2 | 2/10/2003 |
| BS25211 | INTEGRAL FUEL TANK SEALING SPEC | 2 | 10/30/2002 |
| BS25252 | INSTALLATION OF FASTENERS FOR METAL STRUCTURE WING | 0 | 3/20/1998 |
| BS25254 | INSTALLATION OF HI-LOK FASTENERS, WING ENGINEERING SPECIFICATION FOR MODEL 4000 | 00E | 4/2/2004 |
| BS25270 | RESIN FOR RESIN TRANSFER MOLDING OF COMPOSITES | B | 10/6/2000 |
| BS25279 | SYNTACTIC CORE | 4 | 5/23/2006 |
| BS25305 | COMPOSITE HANDBOOK FOR DESIGNERS | 0 | 8/4/1997 |
| BS25314 | FINISH SPECIFICATION FOR THE MODEL 4000 | 21 | 8/16/2002 |
| BS25339 | HOT BENDING OR FORMING OF ALUMINUM ALLOYS | 3 | 9/14/2009 |
| BS25359 | MINIMUM RESIDUAL STRESS (MRS) QUALITY SHEET MATERIAL | 4 | 9/1/2018 |
| BS25381 | SHOT PEENING OF METAL PARTS WING ENGRG SPEC FOR MODEL 4000 | 00B | 11/2/1998 |
| BS25460 | FIREWALL SEAL ENGINEERING SPEC FOR MODEL 4000 | 00B | 1/5/2001 |
| BS25575 | COLD SHRINK-HEAT EXPANSION ASSEMBLY OF PARTS | 6 | 1/24/2020 |
| BS25636 | INSTALLATION OF BLIND FASTENERS (UB-100,UB-130, AND NAS1921) | 2 | 4/1/2004 |
| BS25691 | CONTROL OF PRODUCTION MANUFACTURING PROCESSES FOR SUPPLIERS & OUTSIDE PRODUCTION | 23 | 12/28/2020 |
| BS25707 | FLUORESCENT PENETRANT AND MAGNETIC PARTICLE INSPECTION PART EXEMPTION LIST | 20 | 4/10/2018 |
| BS262 | STEEL FOR AIRCRAFT FORGINGS INACTIVE FOR NEW DESIGN OR USE 11-29-52 NOT APPLICABLE TO THE T-34A AND T-36A MODELS | 00C | 12/26/1956 |
| BS2647 | ADHESIVE BONDING METAL TO METAL | 00L | 4/20/2000 |
| BS2647 APP 6 | ADHESIVE BONDING METAL TO METAL | 0 | 12/18/1978 |
| BS2713 | TITANIUM ALLOY DETAILS | 0 | 6/23/1959 |
| BS273693 | SUBSTITUTION SPECIFICATION FOR NON-METALLIC MATERIALS FOR HAWKER 125 SERIES | 5 | 6/3/2010 |
| BS299531 | VACUUM THERMOFORMING THERMOPLASTIC SHEET | 1 | 4/24/2007 |
| BS311327 | FORMING OF ALUMINUM ALLOYS | 3 | 1/28/2008 |
| BS3155 | ADHESIVE BONDING HONEYCOMB SANDWICH PANELS COMPONENTS | 00E | 10/27/1975 |
| BS3199 | SPECIFICATION FOR MANUFACTURE OF COMPRESSION MOLDED PRODUCTS | 00B | 2/24/1967 |
| BS320 | APPLICATION OF ANTI-SEIZE COATING | 00C | 5/15/1959 |
| BS340 | LOW PRESSURE LAMINATES | 00F | 9/27/1967 |

| | | | |
|----------|--|-----|------------|
| BS3604 | ADHESIVE - SEALING OF INTERGRAL FUEL TANKS | 00B | 8/15/1974 |
| BS361 | STANDARD FINISH SPECIFICATION | 12 | 8/23/2016 |
| BS3620 | LOW PRESSURE LAMINATES GLASS FABRIC BASE MANUFACTURE OF | 00C | 9/13/1967 |
| BS305511 | APPROVED RAW MATERIAL SUBSTITUTION BY PART NUMBER | 3 | 2/28/2019 |
| BS366746 | SPECIFICATION FOR SELECTIVE LASER SINTERING (SLS) | 1 | 3/26/2009 |
| BS372945 | SPECIFICATION FOR FUSED DEPOSITION MODELING (FDM) | 5 | 2/1/2021 |
| BS3775 | WELDING - INERT GAS, ARC 17-7 PH STAINLESS STEEL | 00C | 10/3/1978 |
| BS3776 | HEAT TREATMENT OF 17-7 PH STAINLESS STEEL PRESSURE VESSELS | 00D | 11/15/1974 |
| BS379871 | MATERIAL REQUIREMENTS FOR EXTERIOR SKINS | 3 | 8/10/2010 |
| BS383 | IDENTIFICATION MARKING, MATERIALS, EQUIPMENT & REQT | 28 | 4/7/2015 |
| BS385372 | GRAIN DIRECTION IDENTIFICATION | 1 | 1/4/2010 |
| BS391683 | SUBSTITUTION SPECIFICATION FOR NAS11XX SERIES BOLT MODEL 400A | 1 | 6/2/2010 |
| BS392875 | REPROCESSING SPECIFICATION FOR HBC PARTS | 1 | 2/17/2011 |
| BS392980 | SUBSTITUTION SPECIFICATION TO ALLOW MACHINE MILLING OF CHEMICAL MILLED PARTS | 2 | 6/17/2010 |
| BS398 | THREAD LUBRICANTS | 00H | 7/24/1981 |
| BS401690 | MAGNESIUM ALLOY, SHEET 3.0 AL - 1.0ZN - 020MN (AZ31B-H23) COLD ROLLED, PARTIALLY | 2 | 6/1/2011 |
| BS4019 | NEOPRENE COATED NYLON FABRIC | 0 | 11/28/1960 |
| BS407 | FIBERGLAS PREFORM REINFORCED POLYESTER MOUNDINGS | 00A | 7/1/1953 |
| BS412 | FLAT, LAMINATED ACRYLIC SHEET | 00A | 3/26/1953 |
| BS421 | LAMINATED FIBERGLAS DUCTING INACTIVE FOR FUTURE DESIGN | 00C | 2/11/1958 |
| BS424 | COMMERCIAL SPOT WELDING OF ALUMINUM | 4 | 8/11/2009 |
| BS428794 | PRODUCT AGE CONTROL AND STORAGE LIMITATIONS | 1 | 10/10/2011 |
| BS4289 | ZINC CHROMATE CORROSION PROOFING MODEL 23 | 0 | 3/22/1962 |
| BS430 | INSTALLATION OF METAL SELF ADHERING PLACARDS | 00F | 2/29/1972 |
| BS433 | THREADED FASTENERS - TIGHTENING TO PROPER TENSION | 9 | 10/19/2017 |
| BS435 | HOT BENDING OR FORMING OF 14S AND 75S ALUMINUM ALLOYS | 00A | 10/7/1957 |
| BS436 | SAND CAST ALUMINUM ALLOY FOR ALUMINUM BRAZING APPLICATIONS | 0 | 2/16/1953 |
| BS440 | PREPARATION OF FUEL CAVITIES FOR BLADDER TYPE FUEL CELLS | 00D | 9/11/1991 |
| BS4408 | ZINC CHROMATE CORROSION PROOFING INTERIOR SURFACES | 0 | 5/14/1962 |
| BS442 | SUBMERGED MELT AUTOMATIC WELDING | 00A | 2/20/1953 |
| BS443 | CERTIFICATION OF OPERATORS FOR SUBMERGED MELT AUTOMATIC WELDING | 0 | 2/16/1953 |
| BS445 | COML ACFT SW OF STAINLESS STEELHT RES ALYS & TITANIUM | 00A | 12/9/1999 |
| BS4451 | HEAT TREATMENT OF 17-7PH STAINLESS STEEL BAR | 00A | 1/21/1965 |
| BS452 | APPLICATION OF RAIN EROSION COATINGS TO PLASTIC LAMINATES | 0 | 3/18/1953 |

| | | | |
|--------|---|-----|------------|
| BS454 | HOT COIN DIMPLING | 0 | 10/18/1963 |
| 1/24/ | PROCESS PAINT AND INK FOR USE IN MARKING: DIRECT SCREENING, DECALS AND PLACARDS | 8 | 1/24/2019 |
| BS455 | SPECIFICATION FOR LINOILING | 3 | 7/30/2003 |
| BS4609 | EPOXY RESIN SEALING COMPOUND | 00A | 1/18/1965 |
| BS461 | CARBON STEEL BARS AND FORGING STOCK 1018 OR 1020 | 00A | 5/11/1962 |
| BS4612 | SILICONE RESIN POTTING COMPOUND | 0 | 1/28/1963 |
| BS4613 | ADHESIVE PRESSURE SENSITIVE TAPE | 00C | 10/9/1964 |
| BS4615 | THERMOPLASTIC SHEET | 00C | 1/21/1965 |
| BS4617 | THERMOPLASTIC RESIN ADHESIVE | 0 | 1/28/1963 |
| BS4619 | SILICONE LUBRICATING COMPOUND | 0 | 1/29/1963 |
| BS4620 | SILICONE ADHESIVE | 00A | 12/30/1964 |
| BS4622 | SURFACE PRIMER | 00A | 2/26/1964 |
| BS4623 | SILICONE LUBRICATING COMPOUND | 0 | 1/29/1963 |
| BS4624 | EXPANDABLE POLYURETHANE FOAM | 0 | 2/13/1963 |
| BS4625 | EXPANDABLE POLYSTYRENE FOAM | 0 | 2/7/1963 |
| BS4626 | EXPANDABLE FOAM MATERIAL | 00A | 4/12/1963 |
| BS4627 | INORGANIC SEALING COMPOUND (TYPE EC-1137) | 0 | 3/15/1963 |
| BS4628 | ELASTOMER BASE SEALER | 0 | 1/30/1963 |
| BS4629 | ELASTOMER BASE SEALING COMPOUND | 0 | 1/30/1963 |
| BS4630 | AIR-DRY CONDUCTIVE COATING | 0 | 1/30/1963 |
| BS4631 | POLYVINYL CHLORIDE CELLULAR MATERIAL | 0 | 3/4/1963 |
| BS4632 | SYNTHETIC RUBBER BASE ADHESIVE | 0 | 1/30/1963 |
| BS4634 | MOLYBDENUM DISULFIDE LUBRICANT | 0 | 3/4/1963 |
| BS4635 | MOISTURE AND FUNGUS RESISTANT VARNISH | 00A | 4/11/1963 |
| BS4636 | ADHESIVE | 00A | 4/30/1963 |
| BS4637 | EPOXY RESIN POTTING COMPOUND | 00A | 4/10/1963 |
| BS4638 | EXPANDABLE FOAM MATERIAL | 00C | 10/31/1973 |
| BS4640 | PHENOLIC GLASS MOLDING COMPOUND | 0 | 2/27/1963 |
| BS4642 | SILICONE RUBBER MOLDING COMPOUND | 00A | 5/6/1963 |
| BS4643 | FILLER MATERIAL CORFIL 615 | 00A | 6/5/1963 |
| BS4644 | ADHESIVE HEAT RESISTANT | 00A | 5/7/1963 |
| BS4645 | GENERAL PURPOSE ADHESIVE | 00A | 5/7/1963 |
| BS4657 | PRESSURIZATION SEALING | 10 | 9/30/2014 |

| | | | |
|----------|---|-----|------------|
| BS468119 | 100 DIMPLED WASHER INSTALLATION IN BALSA CORE FLOOR PANELS | 1 | 4/30/2012 |
| BS4683 | LUBRICATING OIL | 00B | 3/7/1963 |
| BS4684 | LUBRICATING OIL | 00B | 9/18/1963 |
| BS4685 | SILICONE FLUID LUBRICANT | 00A | 9/18/1963 |
| BS4686 | INSULATING MATERIAL | 00A | 4/11/1963 |
| BS4687 | EPOXY RESIN ADHESIVE | 00A | 4/24/1963 |
| BS4688 | FILLER MATERIAL | 00B | 1/22/1965 |
| BS4689 | THERMOPLASTIC SHEET | 00A | 4/19/1963 |
| BS4690 | INSULATING PAINT | 00B | 10/2/1963 |
| BS4691 | EPOXY HARDENER | 00A | 4/24/1963 |
| BS4692 | PASSIVATION OF CORROSION | 0 | 3/26/1963 |
| BS4693 | COPPER CLAD TEFLON | 0 | 3/8/1963 |
| BS4694 | TRANSFORMER OIL | 00B | 10/11/1963 |
| BS4695 | GENERAL PURPOSE ADHESIVE (TYPE EC-1390) | 00A | 9/18/1963 |
| BS4697 | CYCLIZING NON POLYSULFIDE BASE RUBBERS | 0 | 5/6/1963 |
| BS4698 | FLEXIBLE POLYURETHANE SHEETING | 0 | 5/14/1963 |
| BS4699 | SOLVENT EVAPORATING CEMENT | 0 | 5/14/1963 |
| BS4745 | POLYURETHANE RESIN ELASTOMER (TEXIN 480A) | 0 | 6/6/1963 |
| BS4749 | TENITE BUTYRATE MOLDING COMPOUND (FORMULA 268) | 0 | 6/21/1963 |
| BS4750 | EPOXY COREACTANT (VERSAMID 125) | 0 | 7/17/1963 |
| BS4753 | EPOXY PROCESS PAINT (ENPOX TYPE 5400) | 0 | 7/17/1963 |
| BS4754 | LOW TEMPERATURE GREASE (AEROSHELL #7A) | 00A | 2/8/1965 |
| BS477 | CLASSIFICATION OF ENGINEERING CHARACTERISTICS APPLICABLE TO THE MODEL 50 AND L23 | 00A | 9/1/1959 |
| BS484532 | BRAZING OF STEELS, COPPER, COPPER ALLOYS, NICKEL ALLOYS, ALUMINUM AND ALUMINUM ALLOYS | 1 | 10/23/2013 |
| BS4849 | FILLER MATERIAL | 0 | 10/18/1963 |
| BS4883 | ADHESIVE | 0 | 12/18/1963 |
| BS4896 | ELECTRON BEAM WELDING | 00A | 8/28/1978 |
| BS4906 | FILLER MATERIAL | 0 | 12/17/1963 |
| BS494 | APPLICATION OF SEALING COMPOUND TO ELECTRIC CONNECTORS AND ELECTRIC SYSTEM | 00E | 3/26/1965 |
| BS4983 | SILICONE HEAT SINK COMPOUND (TYPE 3400) | 00A | 1/22/1965 |
| BS510 | WELDING OF ALUMINUM ALLOYS | 5 | 4/14/2010 |
| BS511 | DESIGN OF WELD JOINTS IN STEELS AND CORROSION AND HEAT | 9 | 6/1/2009 |

| | | | |
|-----------------|--|-----|------------|
| BS534 | JOINING PLASTIC LAMINATES BY REINFORCED GLASS CLOTH STRIPS | 0 | 11/28/1955 |
| BAEP0000 | NUMERICAL INDEX OF PUBLISHED PROCESS SPEC | 020 | 8/16/1995 |
| BAEP0002 | CHROMIC ACID ANODISING | 005 | 8/16/1995 |
| BAEP0002-5PSD1 | CHROMIC ACID ANODIZING | 000 | 6/17/1998 |
| BAEP0003 | SULPHURIC ACID ANODISING | 003 | 8/20/1995 |
| BAEP0003-3PSD1 | SULPHURIC ACID ANODISING | 001 | 10/16/2007 |
| BAEP0003-3PSD2 | SULPHURIC ACID ANODISING | 001 | 7/27/2009 |
| BAEP0004 | CHROMATE CONVERSION COATING FOR ALUMINIUM & ITS ALLOYS | 004 | 8/16/1995 |
| BAEP0004-4PSD1 | CHROMATE CONVERSION COATING FOR ALUMINIUM AND ITS ALLOYS | 002 | 6/15/2004 |
| BAEP0004-4PSD2 | CONVERSION COATING FOR ALUMINUM & ITS ALLOYS | 000 | 6/8/1998 |
| BAEP0005 | CHROMATE TREATMENT OF MAGNESIUM BASED ALLOYS | 003 | 8/20/1995 |
| BAEP0005-3PDS1 | CHROMATE TREATMENT OF MAGNESIUM BASED ALLOYS | 001 | 11/16/2007 |
| BAEP0005-3PSD1 | CHROMATE TREATMENT OF MAGNESIUM BASED ALLOYS | 002 | 5/12/2009 |
| BAEP0006 | PHOSPHATING TREATMENTS FOR STEEL (EXCLUDING CORROSION RESISTING STEEL) | 003 | 8/20/1995 |
| BAEP0006-3PSD02 | FRONTISPIECE | 001 | 3/17/2008 |
| BAEP0006-3PSD1 | PHOSPHATING TREATMENTS FOR STEEL | 001 | 7/5/2005 |
| BAEP0006-3PSD3 | PHOSPHATING TREATMENTS FOR STEEL | 001 | 10/11/2011 |
| BAEP0007 | COLOUR ANODISING CHROMIC ACID | 0F1 | 8/20/1995 |
| BAEP0012 | HARD ANODISING | 006 | 8/20/1995 |
| BAEP0012-6PSD1 | HARD ANODISING | 001 | 5/29/2007 |
| BAEP0013 | PASSIVATION OF CORROSION RESISTING STEELS & NICKEL-BASED ALLOYS | 002 | 8/20/1995 |
| BAEP0014 | IRIDITE 14-2 CHROMATE CONVERSION COATING | 001 | 8/20/1995 |
| BAEP0016 | THE ANODIC TREATMENT OF TITANIUM & TITANIUM ALLOYS | 001 | 8/20/1995 |
| BAEP0025 | IDENT MARKING OF PARTS & ASSEMBLIES | 009 | 8/20/1995 |
| BAEP0025-9PSD1 | IDENTIFICATION MARKING OF PARTS | 00A | 7/13/1999 |
| BAEP0025-9PSD2 | IDENTIFICATION MARKING OF PARTS & ASSY | 000 | 6/16/1998 |
| BAEP0502 | IDENT MARKING BY ELECTRO-CHEMICAL METHODS | 003 | 8/20/1995 |
| BAEP0507 | IDENT MARKING USING MANDER-KIDD MARKING INK | 0F1 | 8/20/1995 |
| BAEP0508 | IDENT MARKING WITH INKS | 001 | 8/20/1995 |
| BAEP0508-1PSD1 | IDENTIFICATION MARKING WITH INKS | 000 | 2/11/1998 |
| BAEP0509 | APPLICATION OF SELF ADHESIVE LABELS | 0F1 | 8/21/1995 |
| BAEP0511 | MARKING OF HARRIER II FLUID LINES | 001 | 8/21/1995 |
| BAEP0516 | IDENT MARKING BY MACHINE ENGRAVING | 001 | 8/21/1995 |
| BAEP0517 | IDENT MARKING IN RELIEF RAISED OR INSET | 001 | 8/21/1995 |

| | | | |
|----------------|--|-----|------------|
| BAEP0518 | IDENT MARKING BY BAG & LABEL | 002 | 8/21/1995 |
| BAEP0519 | IDENT MARKING BY METAL TAG | 001 | 8/21/1995 |
| BAEP0520 | IDENT MARKING BY IMPRESS STAMPING BY MACHINE | 001 | 8/21/1995 |
| BAEP0521 | IDENT MARKING BY VIBRO-ENGRAVING: CONTROLLED TIP STYLUS | 001 | 8/21/1995 |
| BAEP0522 | IDENT MARKING BY VIBRO-ENGRAVING: SHARP TIP STYLUS | 001 | 8/21/1995 |
| BAEP0526 | PARTMARKING USING THE BORRIES IMPRESS STAMPING MACHINE | 001 | 8/22/1995 |
| BAEP1001 | SEG OF INT FUEL TANKS WITH POLYSULPHIDE TYPE COMPOUNDS | 006 | 8/16/1995 |
| BAEP1001-6PSD1 | SEALING OF INTEGRAL FUEL TANKS W/ POLY TYPE COMPOUNDS | 000 | 12/21/1995 |
| BAEP1001-6PSD2 | SEALING OF INTEGRAL FUEL TANKS | 002 | 11/2/1999 |
| BAEP1001-6PSD3 | SEALING OF INTEGRAL FUEL TANKS WITH POLYSULPHIDE TYPE | 00A | 7/23/2003 |
| BAEP1001-6PSD4 | SEALING OF INTERGRAL FUEL TAMKS | 000 | 10/5/1998 |
| BAEP1001-6PSD5 | SEALING OF INTERGRAL FUEL TAMKS | 002 | 5/11/2000 |
| BAEP1001-6PSD6 | SEALING OF INTEGRAL FUEL TANKS WITH POLYSULPHIDE TYPE | 001 | 4/22/2008 |
| BAEP1002 | SEALING OF PRESSURE CABINS AND AREAS OUTSIDE INTEGRAL FUEL TANKS | 005 | 8/16/1995 |
| BAEP1002-5PSD1 | SEALING OF PRESSURE CABINS & AREAS OUTSIDE | 003 | 12/9/1999 |
| BAEP1002-5PSD2 | SEALING OF PRESSURE CABINS & AREAS OUTSIDE INTEGRAL FUEL TANKS | 000 | 4/16/1998 |
| BAEP1002-5PSD3 | SEALING OF PRESSURE CABINS AND AREAS OUTSIDE INTEGRAL | 00A | 7/23/2003 |
| BAEP1002-5PSD4 | SEALING OF PRESSURE CABINS & AREAS OUTSIDE INTEGRAL FUEL TANKS | 000 | 10/5/1998 |
| BAEP1002-5PSD5 | SEALING OF PRESSURE CABINS & AREAS OUTSIDE INTEGRAL FUEL TANKS | 002 | 5/11/2000 |
| BAEP1002-5PSD6 | SEALING OF PRESSURE CABINS AND AREAS OUTSIDE INTEGRAL FUEL TANKS WITH POLY | 003 | 7/26/2007 |
| BAEP1002-5PSD7 | SEALING OF PRESSURE CABINS AND AREAS OUTSIDE INTEGRAL | 001 | 4/22/2008 |
| BAEP1002-5PSD8 | SEALING OF PRESSURE CABINS AND AREAS OUTSIDE INTEGRAL | 001 | 3/29/2010 |
| BAEP1006 | IMPREGNATION TREATMENT OF LIGHT ALLOY CASTINGS | 0F1 | 8/22/1995 |
| BAEP1006-2PSD1 | IMPREGNATION TREATMENT OF LIGHT ALLOY CASTINGS | 000 | 7/14/2003 |
| BAEP1007 | AL-COP-MAG-SIL-MAN ALLOY | 002 | 8/28/1995 |
| BAEP1008 | AL-COP-MAG-SIL-MAN ALLOY | 002 | 8/28/1995 |
| BAEP1009 | FORM IN PLACE SEALS FOR WEATHER PROOFING | 0F1 | 8/22/1995 |
| BAEP1010 | AL COATED AL-COP-MAG-MAN ALLOY | 002 | 8/28/1995 |
| BAEP1011 | AL-COP-MAG-MAN ALLOY TUBE | 004 | 8/28/1995 |
| BAEP1021 | INTERNAL TREATMENT OF REDUX 775 BONDED CLOSE SECTION MEMBERS | 001 | 8/22/1995 |
| BAEP1081 | ATCH OF CABLES TO STRUCTURE BY MEANS OF ADHESIVES | 002 | 8/22/1995 |
| BAEP1083 | INSTL OF HUCK LIGHTWEIGHT GROOVE PROPORTIONED LOCKBOLTS | 001 | 8/22/1995 |
| BAEP1086 | CUT CSK OF METALLIC MATERIALS | 003 | 8/22/1995 |
| BAEP1087 | SETTING OF SOLID RIVETS IN METALLIC MATERIALS | 001 | 8/22/1995 |

| | | | |
|----------------|--|-----|-----------|
| BAEP1099 | INSTL OF MCDONNELL DOUGLAS CROWN FLUSH SOLID RIVETS | 002 | 8/22/1995 |
| BAEP1100 | INSTL OF SHANK LOCKING BLIND RIVETS | 001 | 8/22/1995 |
| BAEP1102 | GOT DIMPLING OF METALLIC MATERIALS | 001 | 8/22/1995 |
| BAEP1105 | INSTL OF CHERRYMAX BLIND RIVETS | 002 | 8/22/1995 |
| BAEP1106 | ASS & PROTECTIVE TREATMENT OF PINNED TUBE TO SOCKET JOINTS | 003 | 8/22/1995 |
| BAEP1108 | INSTL & REMOVAL OF HUCK BLIND BOLTS & CHERRY MAXIBOLTS | 002 | 8/22/1995 |
| BAEP1109 | INTSL OF HI-TIGUE BOLTS | 002 | 8/22/1995 |
| BAEP1110 | INSTL & REMOVAL OF HUCK UNIMATIC BLIND RIVETS | 002 | 8/22/1995 |
| BAEP1112 | INSTL OF INTERNALLY THREADED, BLIND, SELF LOCKING BOLTS | 001 | 8/22/1995 |
| BAEP1113 | APPLICATION OF FUEL PROOF POLYMER ENVELOPE | 003 | 8/22/1995 |
| BAEP1114 | AUTOMATIC INSTL OF SWAG LOCKING LOCKBOLTS | 001 | 8/22/1995 |
| BAEP1506 | CADMIUM PLATING DALIC PROCESS | 002 | 8/22/1995 |
| BAEP1510 | ELECTRO-DEPOSITION OF TIN ON ALUM ALLOY ELEC CONDUCTORS | 003 | 8/22/1995 |
| BAEP1512 | PREPARATION OF TITANIUM, STAINLESS STEEL, COPPER & COPPER ALLOYS | 0F1 | 8/22/1995 |
| BAEP1514 | CADMIUM PLATING FOR STEELS, TITANIUM, COPPER & ALLOYS | 002 | 8/22/1995 |
| BAEP1514-2PSD1 | BAEP1514-2PSD1 CADMIUM PLATING FOR STEELS, TITANIUM AND TITANIUM | 002 | 2/2/2010 |
| BAEP1516 | CHROMATE PASS OF CADMIUM & ZINC SURFACES | 002 | 8/22/1995 |
| BAEP1517 | ZINC SPRAYING | 006 | 8/22/1995 |
| BAEP1517-6PSD1 | ZINC SPRAYING | 001 | 3/22/2010 |
| BAEP1518 | ANUMINIUM SPRAYING | 005 | 8/22/1995 |
| BAEP1519 | HARD CHROMIUM PLATING | 006 | 8/22/1995 |
| BAEP1519-6PSD1 | HARD CHROMIUM PLATING | 001 | 5/18/2004 |
| BAEP1520 | BRONZE & COPPER PLATING OF STEEL COMPONENTS | 003 | 8/22/1995 |
| BAEP1520-3PSD1 | BRONZE AND COPPER PLATING OF STEEL COMPONENTS AS A STOP-OFF TO NITRIDING & BOX-C | 001 | 5/29/2007 |
| BAEP1521 | ZINC PLATING FOR STEELS, COPPER & COPPER ALLOYS | 002 | 8/22/1995 |
| BAEP2001 | SHOT PEENING FOR IMPROVED FATIGUE RESISTANCE | 004 | 8/22/1995 |
| BAEP2001-4PSD1 | SHOT PEENING FOR IMPROVED FATIGUE RESISTANCE | 001 | 5/29/2007 |
| BAEP2001-4PSD2 | SHOT PEENING FOR IMPROVED FATIGUE RESISTANCE | 001 | 2/1/2008 |
| BAEP2001-4PSD3 | SHOT PEENING FOR IMPROVED FATIGUE RESISTANCE | 001 | 3/14/2011 |
| BAEP2002 | VACU-BLASTING WITH DRY ALUMINA GRIT | 007 | 8/22/1995 |
| BAEP2002-7PSD1 | VACU-BLASTING (WITH DRY ALUMINA GRIT) | 002 | 2/25/2010 |
| BAEP2003 | GRIT BLASTING WITH CHILLED IRON GRIT | 004 | 8/22/1995 |
| BAEP2004 | VAPOUR BLASTING WITH ALUMINA GRIT1 | 006 | 8/22/1995 |

| | | | |
|----------------|---|-----|------------|
| BAEP2007 | SUFACE IMPROVEMENT BY THE USE OF GLASS BEADS | 002 | 8/22/1995 |
| BAEP2007-2PSD1 | SURFACE IMPROVEMENT BY THE USE OF GLASS BEADS | 001 | 5/29/2007 |
| BAEP2008 | SURFACE IMPROVEMENT OF METAL BY MEANS OF THE ROTO PEEN | 002 | 8/22/1995 |
| BAEP2009 | STEEL SHOT PEENING FOR IMPROVED FATIGUE, STRESS RESISTANCE | 002 | 8/22/1995 |
| BS2013 | | 3 | |
| BAEP2501 | PENETRANT FLAW DETECTION | 005 | 8/22/1995 |
| BAEP2501-5PSD1 | PENETRANT FLAW DETECTION | 003 | 1/27/2012 |
| BAEP2502 | MAGNETIC PARTICLE FLAW DETECTION OF MATERIALS AND COMPONENTS | 002 | 8/22/1995 |
| BAEP2502-2PSD1 | MAGNETIC PARTICLE FLAW DETECTION OF MATERIALS AND COMPONENTS | 002 | 1/27/2012 |
| BAEP2503 | ULTRASONIC FLAW DETECTION | 005 | 8/22/1995 |
| BAEP2503-5PSD1 | ULTRASONIC FLAW DETECTION | 002 | 1/27/2012 |
| BAEP2504 | ULTRASONIC INSPECTION OF COMPOSITE PARTS & ASSEMBLIES | 001 | 8/22/1995 |
| BAEP2506 | EDDY CURRENT INSPEC OF HOLES GENERAL REQUIREMENTS | 003 | 8/22/1995 |
| BAEP3002 | LIGHT WEIGHT FILLER | 004 | 8/22/1995 |
| BAEP3003 | AERODYNAMIC FILLER | 004 | 8/21/1995 |
| BAEP3003-4PSD1 | AERODYNAMIC FILLER | 000 | 12/19/1995 |
| BAEP3004 | FILLER FOR SMALL HOLES SUCH AS IN HOLLOW RIVETS | 003 | 8/22/1995 |
| BAEP3005-6PSD1 | SILCOSET AND SILASTIC | 006 | 12/19/1995 |
| BAEP3007 | SEALING WITH VERY HIGH TEMP RESISTANT COMPOUND | 002 | 8/21/1995 |
| BAEP3008 | HERMETITE DOUBLE BOND FOR GAP FILLING | 003 | 8/21/1995 |
| BAEP3008-3PSD1 | HERMETITE DOUBLE BOND FOR GAP FILING | 000 | 12/19/1995 |
| BAEP3009 | HEAT RESISTANT SOLVENTLESS EPOXY STOPPER FOR NON-CRITICAL APP | 002 | 8/22/1995 |
| BAEP3010 | INSTR FOR THE USE OF ALUM FILLED HYSOL | 002 | 8/22/1995 |
| BAEP3504 | APPLICATION OF POLYURETHANE FINISH | 008 | 8/22/1995 |
| BAEP3504-8PSD1 | APPLICATION OF POLYURETHANE FINISH | 002 | 8/13/1999 |
| BAEP3504-8PSD2 | APPLICATION OF POLYURETHANE FINISH | 001 | 11/6/2007 |
| BAEP3504-8PSD3 | APPLICATION OF POLYURETHANE FINISH | 001 | 3/4/2011 |
| BAEP3505 | APP OF COLD CURING EPOXIDE FINISH | 0F1 | 8/22/1995 |
| BAEP3505-2PSD1 | THE APPLICATION OF COLD CURING EPOXIDE FINISH | 001 | 6/29/2011 |
| BAEP3506 | APP OF HIGH TEMP STOVE ENAMEL TO STEEL PARTS | 002 | 8/22/1995 |
| BAEP3507 | PROTECTIVE TREATMENT OF MAGNESIUM BASE ALLOYS | 002 | 8/22/1995 |
| BAEP3508 | APP OF ACRYLIC FINISHES | 004 | 8/22/1995 |
| BAEP3510 | APP OF ETCHING PRIMER | 005 | 8/22/1995 |
| BAEP3510-5PSD1 | THE APPLICATION OF ETCHING PRIMER | 000 | 1/11/2002 |

| | | | |
|----------------|---|-----|-----------|
| BAEP3512 | THE APPLICATION OF COLD CURING EPOXIDE PRIMER TO METALLIC & GLASS | 005 | 8/23/1995 |
| BAEP3512-5PSD1 | THE APPLICATION OF COLD CURING EPOXIDE PRIMER TO METALLIC AND GLASS REINFORCED SURFACES | 001 | 11/8/2012 |
| BAEP3513 | APP OF ANTI-FRETTING PRIMER | 002 | 8/23/1995 |
| BAEP3513-2PSD1 | APPLICATION OF ANTI-FRETTING PRIMER | 001 | 2/17/2006 |
| BAEP3513-2PSD2 | THE APPLICATION OF ANTI-FRETTING PRIMER | 001 | 8/21/2008 |
| BAEP3515 | APP OF POLYURETHANE EROSION RESISTANT COATING | 004 | 8/23/1995 |
| BAEP3516 | APP OF THERMO-LAG 220 WR FIRE RETARDANT PAINT | 002 | 8/23/1995 |
| BAEP3518 | APP OF VINYL EMULSION FINISH | 001 | 8/23/1995 |
| BAEP3519 | APP OF HEAT RESISTANT STOVE ENAMEL | 002 | 8/23/1995 |
| BAEP3520 | APP OF CHEMGLAZE ELASTOMERIC EROSION RESISTANT COATING | 002 | 8/23/1995 |
| BAEP3522 | APP OF LOW TEMP STOVING GOLD FINISH FOR FURNISHING APP | 0F1 | 8/23/1995 |
| BAEP3524 | APP OF POLYURETHANE CLEAR LACQUER FOR PROTECTION | 002 | 8/23/1995 |
| BAEP3525 | APP OF FIRE RESISTANT COATINGS TO NON-METALLIC MATERIALS | 0F1 | 8/23/1995 |
| BAEP3527 | APP OF COLD CURING, LEACHABLE, IMPROVED PRIMER | 004 | 8/21/1995 |
| BAEP3527-4PSD1 | THE APPLICATION OF COLD CURING LEACHABLE IMPROVED ADHESION | 003 | 5/18/2004 |
| BAEP3527-4PSD2 | APPLICATION OF COLD CURING | 000 | 4/16/1998 |
| BAEP3527-4PSD3 | THE APPLICATION OF COLD CURING LEACHABLE IMPROVED ADHESION | 001 | 5/18/2004 |
| BAEP3527-4PSD4 | THE APPLICATION OF COLD CURING LEACHABLE IMPROVED ADHESION PRIMER | 001 | 6/13/2008 |
| BAEP3527-4PSD5 | THE APPLICATION OF COLD CURING LEACHABLE IMPROVED ADHESION | 001 | 9/1/2010 |
| BAEP3528 | APP OF FLEXIBLE PERMEABLE FINISH TO ACFT INTERNAL SURFACES | 004 | 8/23/1995 |
| BAEP3528-4PSD1 | APPLICATION OF FLEXIBLE PERMABLE FINISH | 00A | 11/7/1996 |
| BAEP3528-4PSD2 | THE APPLICATION OF FLEXIBLE PERMEABLE FINISH TO AIRCRAFT | 002 | 5/27/2010 |
| BAEP3529 | APP OF ETCHING PRIMER & POLYURETHANE STRIPPABLE FINISH | 003 | 8/23/1995 |
| BAEP3531 | APP OF LOW TEMP STOVING CRINKLE ENAMEL | 002 | 8/23/1995 |
| BAEP3532 | APP OF LOW TEMP STOVING ENAMEL | 002 | 8/23/1995 |
| BAEP3532-2PSD1 | THE APPLICATION OF LOW TEMPERATURE STOVING ENAMEL | 001 | 4/19/2006 |
| BAEP3532-2PSD2 | THE APPLICATION OF LOW TEMPERATURE STOVING ENAMEL | 001 | 7/15/2008 |
| BAEP3532-2PSD3 | THE APPLICATION OF LOW TEMPERATURE STOVING ENAMEL | 001 | 4/1/2011 |
| BAEP3533 | APP OF AIR-DRYING SYNTHETIC ENAMEL | 002 | 8/23/1995 |
| BAEP3533-2PSD1 | THE APPLICATION OF AIR DRYING SYNTHETIC ENAMEL | 001 | 6/9/2006 |
| BAEP3534 | APP OF POLYURETHANE FINISHING ENAMEL FOR OVERCOATING SEALANTS | 008 | 8/23/1995 |
| BAEP3535 | APP OF INTUMESCENT PAINT TO CARBON FIBRE COMPOSITE SURFACE | 001 | 8/23/1995 |
| BAEP3536 | APP OF ABRASION RESISTANT FINISHING SCHEME | 007 | 8/23/1995 |

| | | | |
|----------------|--|-----|------------|
| BAEP3537 | APP OF ANTI-STATIC PAINT TO COMPOSITE MATERIALS | 009 | 8/23/1995 |
| BAEP3538 | APP OF POLYURETHANE FINISH TO ACFT EXTERNAL SURFACES | 001 | 8/23/1995 |
| BAEP3540 | OVERCOATING FULLY FINISHED PAINT SYSTEM | 001 | 8/23/1995 |
| BAEP3544 | APP OF BONDING PRIMER AS AN EROSION RESISTANT COATING | 002 | 8/23/1995 |
| BAEP3545 | APP OF DIFFERENTIALLY STRIPPABLE PAINT SCHEMES | 002 | 8/23/1995 |
| BAEP3546 | APP OF ETCHING PRIMER, POLYURETHANE PRIMER & FINISH | 001 | 8/23/1995 |
| BAEP3547 | APP OF ANTI-EROSION COATING | 001 | 8/23/1995 |
| BAEP4001 | RETENTION OF BALLRACHES IN HOUSING WITH EPOXY RESIN ADHESIVE | 002 | 8/23/1995 |
| BAEP4002 | RETENTION OF BEARINGS WITH EPOXY RESIN ADHESIVE | 002 | 8/23/1995 |
| BAEP4003 | CEMENTING ACRYLIC MATERIALS WITH TENSOL FOR NON-STRUCTURAL ITEMS | 0F1 | 8/23/1995 |
| BAEP4004 | CEMENTING ACRYLIC MAT FOR STRUCTURAL APP WITH TENSOL CEMENT | 003 | 8/23/1995 |
| BAEP4005 | BONDING SILICONE RUBBERS | 005 | 8/16/1995 |
| BAEP4005-5PSD1 | BONDING SILICONE RUBBERS | 000 | 6/24/1996 |
| BAEP4005-5PSD2 | BONDING SILICONE RUBBERS | 001 | 6/1/2011 |
| BAEP4006 | BONDING RIGID PVC | 005 | 8/23/1995 |
| BAEP4007 | BONDING RUBBER AND P.T.F.E. TO PERSPEX OR METALS | 003 | 7/13/2007 |
| BAEP4008 | BONDING PLASTICISED PVC WITH BOSTIK 2763 | 003 | 8/23/1995 |
| BAEP4008-3PSD1 | BONDING PLASTICISED PVC WITH BOSTIK 2763 | 000 | 3/24/1997 |
| BAEP4009 | BONDING WITH ONE PART HEAT CURING EPOXY PASTE ADHESIVE | 002 | 8/23/1995 |
| BAEP4011 | BONDING WITH EPOXY ADHESIVE FOR NON STRUCTURAL PARTS | 0F1 | 8/16/1995 |
| BAEP4011-2PSD1 | BONDING RUBBER TO METAL ETC ARALDITE | 00A | 7/14/2000 |
| BAEP4011-2PSD2 | BONDING RUBBER TO METAL ETC. - ARALDITE | 001 | 12/8/2011 |
| BAEP4012 | BONDING WITH BOSTIK 2402 | 003 | 8/23/1995 |
| BAEP4012-3PSD1 | BONDING WITH BOSTIK 2402 | 000 | 12/19/1995 |
| BAEP4013 | BONDING DECORATIVE PVC FACED CLOTH & FORM | 002 | 8/23/1995 |
| BAEP4013-2PSD1 | BONDING DECORATIVE PVC FACED CLOTH & FORM | 00A | 2/26/1997 |
| BAEP4014 | BONDING WITH EC2210 | 003 | 8/23/1995 |
| BAEP4014-3PSD1 | BONDING WITH E.C. 2210 | 000 | 12/19/1995 |
| BAEP4015 | BONDING WOOD WITH AEROLITE ADHESIVES | 002 | 8/23/1995 |
| BAEP4016 | BONDING WITH ADHESIVE SOLUTIONS LTD AS100B | 004 | 8/23/1995 |
| BAEP4016-4PSD1 | BONDING WITH ADHESIVE SOLUTIONS LTD.AS100B | 000 | 11/21/2000 |
| BAEP4016-4PSD2 | BONDING WITH ADHESIVE SOLUTIONS LTD. AS100B | 000 | 6/27/2003 |
| BAEP4017 | BONDING OF FABRIC TO PLYWOOD SUBJECT TO WEATHERING | 002 | 8/23/1995 |
| BAEP4018 | BONDING ALUM ALLOYS WITH TWO-PART COLD CURING HYSOL ADHESIVE | 0F1 | 8/23/1995 |

| | | | |
|----------------|---|-----|------------|
| BAEP4020 | BONDING WITH REDUX E & FORMVAR POWDER | 003 | 8/23/1995 |
| BAEP4021 | BONDING WITH REDUX LIQUID & POWDER | 003 | 8/23/1995 |
| BAEP4022 | BONDING WITH REDUX FILM DTD 775 | 003 | 8/23/1995 |
| BAEP4022-3PSD1 | BONDING WITH REDUX FILM DTD 775 | 002 | 3/3/2004 |
| BAEP4022-3PSD2 | BONDING WITH REDUX FILM DTD 778 | 001 | 8/31/1999 |
| BAEP4022-3PSD3 | BONDING WITH REDUX FILM DTD 775 | 001 | 10/15/2004 |
| BAEP4022-3PSD4 | BONDING WITH REDUX FILM DTD 775 | 001 | 11/11/2010 |
| BAEP4022-PSD1 | BONDING WITH REDUX FILM DTD 775 | 003 | 5/21/2004 |
| BAEP4023 | BONDING WITH TWO PART ROOM TEMP CURING EPOXY PASTE ADHESIVE | 001 | 8/23/1995 |
| BAEP4023-1PSD1 | BONDING WITH TWO PART ROOM TEMPERATURE CURING EXPOXY PASTE | 000 | 3/15/2002 |
| BAEP4024 | MANUFACTURE OF GLASS & ARAMID FIBRE EPOXIDE | 003 | 8/23/1995 |
| BAEP4024-3PSD1 | ADDITION OF ALUM ALLOY FILAMENT FABRIC | 000 | 2/11/2003 |
| BAEP4025 | BONDING ALUMINIUM ALLOY WITH TWO PART COLD CURING HYSOL ADHESIVES | 0F1 | 8/21/1995 |
| BAEP4026 | MANUFACTURE OF EPOXY RESIN IMPREGNATED GLASS FIBRE | 0F1 | 8/23/1995 |
| BAEP4026-3PSD1 | ADDITION OF ALUM ALLOY FILAMENT FABRIC | 000 | 2/11/2003 |
| BAEP4027 | MANUFACTURE OF PHENOLIC RESINATED GLASS-FIBRE/NOMEX COMP | 002 | 8/23/1995 |
| BAEP4028 | MANUFACTURE OF PHENOLIC RESINATED GLASS-FIBRE/NOMEX COMP | 0F1 | 8/23/1995 |
| BAEP4029 | MANUFACTURE OF GLASS FIBRE COMP | 0F1 | 8/23/1995 |
| BAEP4029-2PSD1 | THE MANUFACTURE OF GLASS FIBRE COMPONENTS USING PHENOLIC | 001 | 7/18/2003 |
| BAEP4031 | MANUFACTURE OF NON-METALLIC STRUCTURAL FLOOR PANELS | 0F1 | 8/23/1995 |
| BAEP4040 | TWO PART ACRYLIC ADHESIVE NON-STRUCTURAL APP | 001 | 8/23/1995 |
| BAEP4041 | BONDING WITH BOSTIK 3206 ADHESIVE | 001 | 8/23/1995 |
| BAEP4043 | BONDING WITH EVOSTIK 528 ADHESIVE | 001 | 8/23/1995 |
| BAEP4501 | SHRINK FITTING OF BOLTS, BUSHES, PINS, ETC | 002 | 8/23/1995 |
| BAEP4502 | THE CLEANING OF OXYGEN PIPES & TREATMENT OF FITTINGS | 0F1 | 8/22/1995 |
| BAEP4502-4PSD2 | THE CLEANING OF OXYGEN PIPES & TREATMENT OF FITTINGS | 001 | 9/23/2015 |
| BAEP4505 | SWAGING OF ACFT CABLES | 0F1 | 8/23/1995 |
| BAEP4507 | LOCKING OF THREADS WITH ANAEROBIC LOCKING COMPOUNDS | 0F1 | 8/21/1995 |
| BAEP4507-1PSD1 | DEOXIDATION OF ALUMINUM ALLOYS | 000 | 12/20/1995 |
| BAEP4508 | ACHIEVEMENT & MAINTENANCE OF FLAME RESISTANCE OF ACFT INTER MAT | 0F1 | 8/21/1995 |
| BAEP4509 | NITRIDING OF STEELS USING AMMONIA GAS | 004 | 8/23/1995 |
| BAEP4509-4PSD1 | NITRIDING OF STEELS (USING AMMONIA GAS) | 001 | 7/22/2005 |
| BAEP4510 | CONTOUR ETCHING ALUM & ALLOYS BY VACU-BLASTING | 006 | 8/23/1995 |
| BAEP4514 | SUPPLY PROCED FOR CLASS 1, CLASS 2 & CLASS 3 CASTINGS | 006 | 8/23/1995 |

| | | | |
|--------------------|--|-----|-----------|
| BAEP4514-6AME5PSD1 | SUPPLY PROCEDURE FOR GLASS 1,2 & 3 | 000 | 1/20/1999 |
| BAEP4514-6PSD1 | SUPPLY PROCEDURE FOR GLASS 1,2 & 3 | 000 | 11/9/1998 |
| BAEP4514-6PSD2 | MAGNESIUM ALLOY CASTING RADIOGRAPHIC REQUIREMENTS | 001 | 1/18/2005 |
| BAEP4514-6PSD3 | RADIOGRAPHIC INSPECTION ACCEPTANCE CRITERIA | 001 | 2/14/2012 |
| BAEP4515 | SUPPLY PROCEDURE FOR FORGINGS | 005 | 8/22/1995 |
| BAEP4516 | SUPPLY REQ FOR ALUM ALLOY BARS FOR MACHINING | 0F1 | 8/23/1995 |
| BAEP4517 | COATING METAL PARTS WITH NYLON | 002 | 8/23/1995 |
| BAEP4518 | INSPECTION OF GRADE A & CLASS 1 & 2 ALUM ALLOY FORGINGS PRIOR TO USE FOR PRODUCTION | 002 | 8/23/1995 |
| BAEP4519 | INSPEC OF TITANIUM & ALLOY FORGINGS PRIOR TO USE FOR PRODUCTION | 0F1 | 8/23/1995 |
| BAEP4520 | TORCH BRAZING COPPER, BASE ALLOYS, NICKEL ALLOYS & STEEL | 0F1 | 8/23/1995 |
| BAEP4520-2PSD1 | TORCH BRAZING OF COPPER, COPPER BASE ALLOYS, NICKEL ALLOYS AND STEELS | 001 | 5/17/2013 |
| BAEP4521 | FUSION WELDING (EXCEPT TITANIUM ALLOYS) | 003 | 8/23/1995 |
| BAEP4521-3PSD1 | FUSION WELDING (EXCEPT TITANIUM ALLOYS) | 002 | 3/18/2009 |
| BAEP4522 | SOLDERING | 003 | 8/23/1995 |
| BAEP4523 | ELECTRIC RESISTANCE WELDING | 002 | 8/23/1995 |
| BAEP4523-2PSD1 | ELECTRIC RESISTANCE WELDING | 001 | 2/10/2014 |
| BAEP4524 | CORRECTION OF DISTORTED ALUMINUM ALLOY PARTS | 002 | 8/21/1995 |
| BAEP4524-2PSD1 | CORRECTION OF DISTORTED ALUMINUM ALLOY PARTS | 002 | 8/26/2010 |
| BAEP4525 | PROCEDURE FOR THE APPLICATION OF JOINTING COMPOUND | 0F1 | 8/16/1995 |
| BAEP4525-PSD1 | PROCEDURE FOR THE APPLICATION OF JOINTING COMPOUND | 000 | 6/24/1996 |
| BAEP4526 | BOX CARBURISING OF STEEL | 0F1 | 8/23/1995 |
| BAEP4526-3PSD1 | BOX CARBURIZING OF STEEL | 001 | 5/21/2010 |
| BAEP4527 | APP OF JOINTING COMPOUND TO ALUM & ALLOY COMP | 0F1 | 8/23/1995 |
| BAEP4527-2PSD2 | THE APPLICATION OF JOINTING COMPOUND JC600 TO ALUMINUM AND ALUMINUM ALLOY COMPOUNDS PRIOR TO WELDING | 001 | 2/5/2008 |
| BAEP4528 | GENL MFR OF SANDWICH RADOMES USING GLASS FIBRE HONEYCOMB | 0F1 | 8/23/1995 |
| BAEP4529 | MFR OF SAN RADOMES USING EXPANDED FOAMED PLASTIC CORE MATL | 002 | 8/23/1995 |
| BAEP4531 | APP OF HEAT CURED SOLID FILM LUBRICANT TO DEF STAN 91-19/1 | 0F1 | 8/23/1995 |
| BAEP4531-2PSD1 | THE APPLICATION OF HEAT CURED SOLID FILM LUBRICANT TO DEF STAN 91-19/1 | 001 | 7/21/2005 |
| BAEP4531-2PSD2 | THE APPLICATION OF HEAT CURED SOLID FILM LUBRICANT TO DEF STAN 91-19/1 | 001 | 1/10/2011 |
| BAEP4532 | ARGON ARC WELDING OF TITANIUM AND ITS ALLOYS | 002 | 8/23/1995 |
| BAEP4533 | CYANIDE CASE HARDENING OF STEEL | 004 | 8/23/1995 |
| BAEP4534 | MANUAL WELDER AND BRAZER COMPETENCY TESTING | 001 | 8/23/1995 |

| | | | |
|-----------------|--|-----|-----------|
| BAEP4535 | FLAME BRAZING OF AL ALLOYS WITH 10 TO 12% SILICONE/AL ROD | 002 | 8/23/1995 |
| BAEP4536 | CHEMICAL CONTOURING OF TITANIUM AND ITS ALLOYS | 002 | 8/23/1995 |
| BAEP4537 | SWAGING TUBES ONTO CONTROL CABLES | 0F1 | 8/23/1995 |
| BAEP4540 | GENERAL INSTRUCTIONS FOR THE FABRICATION OF WROUGHT ALUMINIUM ALLOYS | 003 | 8/22/1995 |
| BAEP4541 | AL ALLOY HNYCMB SAN CONSTR SPECIFIC REQT FOR ARALDITE | 0F1 | 8/23/1995 |
| BAEP4543 | BONDING OF HONEYCOMB STRUCTURE WITH BSL 308 AND 308A | 0F1 | 8/23/1995 |
| BAEP4544 | ETCH INSPEC OF MACHINED COMPONENTS MANUFACTURED FROM STEEL | 003 | 8/23/1995 |
| BAEP4544-3-PSD1 | THE ETCH INSPECTION OF MACHINED COMPONENTS MANUFACTURED FROM STEEL | 001 | 5/29/2007 |
| BAEP4544-3PSD2 | THE ETCH INSPECTION OF MACHINED COMPONENTS MANUFACTURED FROM STEEL | 002 | 9/16/2008 |
| BAEP4545 | SUPPLY PROCEDURE FOR PLASTIC COMPONENTS | 0F1 | 8/23/1995 |
| BAEP4546 | DRIVMATIC PRE-FORMED RIVETING OF ALUMINIUM ALLOY STRUCTURE | 0F1 | 8/23/1995 |
| BAEP4547 | DRIVMATIC SLUG RIVETING OF ALUMINIUM ALLOY STRUCTURE | 0F1 | 8/24/1995 |
| BAEP4549 | THE MANUFACTURE OF CARBON FIBRE EPOXIDE PRE IMPREGNATED | 006 | 8/24/1995 |
| BAEP4551 | FABRICATION OF BERYLLIUM COPPER MATERIAL | 002 | 8/24/1995 |
| BAEP4552 | THE MOULDING OF NON STRUCTURAL CARBON FIBRE COMPOSITE | 001 | 8/24/1995 |
| BAEP4553 | RETENTION OF BUSHES AND BEARINGS BY LIQUID SEALANT | 002 | 8/24/1995 |
| BAEP4554 | ASSEMBLY OF TAPER LOK FASTENERS | 00A | 8/24/1995 |
| BAEP4555 | MFR OF TUBULAR COMPONENTS IN CARBON FIBRE COMPOSITES | 0F1 | 8/24/1995 |
| BAEP4556 | ASSY BY BONDING OF STRUCTURAL COMPONENTS CONTAINING FIBRE | 005 | 8/24/1995 |
| BAEP4558 | FITTING OF BEARINGS WITH SPUN IN BUSHES | 003 | 8/24/1995 |
| BAEP4558-3PSD1 | FITTING OF BEARINGS WITH SPUN-IN BUSHES | 000 | 9/25/2001 |
| BAEP4559 | MFR & APPLICATION OF AUTOFOTO PHOTSENSITIVE METAL LABELS | 0F1 | 8/24/1995 |
| BAEP4560 | INSTL OF AVDEL RIVETS | 0F1 | 8/24/1995 |
| BAEP4562 | PROTECTION AND FINISH MASTER SPEC FOR AIRBUS WING | 005 | 8/24/1995 |
| BAEP4563 | INSTL OF CAMLOC FASTENERS | 002 | 8/24/1995 |
| BAEP4565 | APP OF NON-SKID SURFACE TO AL ALLOY CLASS 3 STRUCTURE | 0F1 | 8/24/1995 |
| BAEP4566 | ASS AND TESTING OF TITEFLEX FLEXIBLE MEDIUM AND HIGH PRESS HOSES | 0F1 | 8/24/1995 |
| BAEP4567 | ASS OF STEEL AND TITANIUM FASTENERS IN PARALLEL INTRF FIT HOLES | 0F1 | 8/24/1995 |
| BAEP4568 | COLD WORKING OF HOLES IN ALUMINIUM ALLOY COMPONENTS | 0F1 | 8/24/1995 |
| BAEP4569 | INSTL OF PERMASWAGE FITTINGS FOR CONNECTIONS IN PIPING SERVICES | 0F1 | 8/24/1995 |
| BAEP4570 | SWAGING OF PIPE COUPLINGS | 002 | 8/24/1995 |
| BAEP4576 | MFR OF GLASS FABRIC REINFORCED POLYESTER RESIN COMPONENTS | 0F1 | 8/24/1995 |
| BAEP4578 | SWAGING OF PIPES TO SBAC METRIC PIPE FITTING | 0F1 | 8/24/1995 |
| BAEP4579 | MASTER PROTECTIVE TREATMENT SPECIFICATION HS146 ACFT | 003 | 8/24/1995 |

| | | | |
|----------------|---|-----|-----------|
| BAEP4580 | TECH SHEETS REQUIRING DESIGN SIGNATURE AT ALL SUBSEQUENT ISSUES | 001 | 8/24/1995 |
| BAEP4582 | ASSY OF PERI-SEAL AND PERI-SEAL VIBREAKER COUPLINGS | 002 | 8/24/1995 |
| BAEP4583 | ASSY & INSTL OF HITEMP-RAFLEX FLEXIBLE PIPE COUPLINGS | 002 | 8/24/1995 |
| BAEP4584 | METHOD OF ATTCH OF MINATURE DETONATING CORD TO THE HAWK | 003 | 8/24/1995 |
| BAEP4585 | MFR OF AL ALLOY HNYCMB SAN STRUC USING BSL312 FILM ADHESIVE | 0F1 | 8/24/1995 |
| BAEP4586 | IMPR OF SST SURFACES WITH MOLYBDENUM DISULPHIDE POWDER | 0F1 | 8/24/1995 |
| BAEP4588 | MFR OF COMPONENTS FROM ONE PART, CASTABLE POLYURETHANE | 0F1 | 8/24/1995 |
| BAEP4589 | MFR OF PRE-IMPREGNATED GLASS FIBRE CHOPPED STRAND MAT DETAILS | 0F1 | 8/24/1995 |
| BAEP4592 | SWAGING OF PIPE COUPLINGS | 0F1 | 8/24/1995 |
| BAEP4595 | INSTL AND POTTING OF SHUR-TAB INSERTS INTO NON-STRUCTURAL HNYCMB | 0F1 | 8/21/1995 |
| BAEP4596 | COMMON REQ FOR REDUX BONDING FOR HIS146 & SUBQ ACFT | 004 | 8/24/1995 |
| BAEP4596-4PSD1 | COMMON REQ FOR REDUX BODING FOR HS 146 & SUBSEQUENT A/C | 000 | 6/18/1999 |
| BAEP4597 | ASSY, INSTL & MAINTENANCE OF JANITROL COUPLINGS | 001 | 8/24/1995 |
| BAEP4601 | MFR AND INSTL OF SST PIPES WITH ARSAERO-ERMATO FITTINGS | 0F1 | 8/24/1995 |
| BAEP4602 | TECH SHEETS REQ DESIGN SIGNATURE AT SECOND & ALL SUBSEQUENT ISSUES | 001 | 8/24/1995 |
| BAEP4603 | MFR OF AL HNYCMB PANELS USING R.382 SERIES FILM ADHESIVES | 0F1 | 8/24/1995 |
| BAEP4604 | WATER SOLUBLE BOLT LUBRICANT | 0F1 | 8/24/1995 |
| BAEP4607 | SUPPLY & FABRICATION REQUIREMENTS FOR ALUMINIUM ALLOY PLATE | 0F1 | 8/24/1995 |
| BAEP4609 | SOLDERING CABLE LUGS TO THERMOCOUPLE LEADS W/HIGH TEMP SOLDER | 0F1 | 8/24/1995 |
| BAEP4611 | MFR & INSTL OF MS FLARELESS PIPE & FITTINGS FOR LOW PRESS FLUID SYS | 0F1 | 8/24/1995 |
| BAEP4612 | CABLE END TREAT TO BE USED IN CONJUNCTION WITH BELDEN CABLES | 0F1 | 8/24/1995 |
| BAEP4613 | FITTING OF AERIALS WITH GROUNDED METAL BASES | 0F1 | 8/24/1995 |
| BAEP4614 | RETENTION OF GROOVED OUTER RING BEARINGS BY STAKING | 0F1 | 8/24/1995 |
| BAEP4615 | ERECTION OF HF AERIAL WIRE ON HS748 ACFT | 0F1 | 8/24/1995 |
| BAEP4616 | PROTECTION & ASSY OF HS748 ENGINE SUB-FRAME TUBES | 0F1 | 8/24/1995 |
| BAEP4617 | SWAGING & ASSY OF HITEMP TYPE 141 RIGID PIPE COUPLINGS | 0F1 | 8/24/1995 |
| BAEP4618 | ASSY & MOUNTING OF JAY-EL 10648 PUSHBUTTON ILLUMINATED SWITCHES | 0F1 | 8/24/1995 |
| BAEP4619 | SUPPLY REQ FOR AL BARS FOR MACHINING & SECTIONS | 0F1 | 8/24/1995 |
| BAEP4621 | ASSY OF END FITTINGS TO HYTREL POLYESTER TUBING | 0F1 | 8/24/1995 |
| BAEP4622 | HEAT FORMING OF HYTREL POLYESTER TUBING | 0F1 | 8/24/1995 |
| BAEP4623 | MEASUREMENT OF TOXIC GAS EMISSIONS | 002 | 8/24/1995 |
| BAEP4624 | APP OF HEAVY DUTY TEMP PORTECTIVE FLUIDS | 002 | 8/24/1995 |
| BAEP4625 | REQT & METHOD OF TEST FOR THE SMOKE EMISSION OF NON-METALLIC MAT | 003 | 8/21/1995 |
| BAEP4627 | COATING & ASSY OF MINERAL FOAM DUCT INSULATION | 0F1 | 8/24/1995 |

| | | | |
|----------------|---|-----|-----------|
| BAEP4628 | FABRICATION OF FUSELAGE INSULATION BAGS | 002 | 8/24/1995 |
| BAEP4629 | DEPOSITION OF COATINGS BY THE DETONATION GUN PROCESS | 002 | 8/24/1995 |
| BAEP4630 | THE FABRICATION OF POLYCARBONATE SHEET | 001 | 8/22/1995 |
| BAEP4630-1PSD1 | FABRICATION OF POLYCARBONATE SHEET | 000 | 6/8/1998 |
| BAEP4631 | FITTING OF O CLIPS TO LOW PRESSURE HOSES | 0F1 | 8/25/1995 |
| BAEP4632 | INSTL OF HOT MELT INSERTS INTO NON-STRUCTURAL ASSEMBLIES | 0F1 | 8/25/1995 |
| BAEP4633 | COLD WORKING OF HOLES BY SPLIT SLEEVE EXPANSION | 002 | 8/25/1995 |
| BAEP4634 | SHOT PEEN FORMING FERROUS & NON-FERROUS | 0F1 | 8/25/1995 |
| BAEP4636 | INSTL OF MOD AL ALLOY SHUR-LOK INSERTS | 0F1 | 8/25/1995 |
| BAEP4638 | USE OF POLYAKYLENE GLYCOL WATER QUENCHANT ADDITIVE | 004 | 8/25/1995 |
| BAEP4638-4PSD1 | THE USE OF POLYAKYLENE GLYCOL WATER QUENCHANT ADDITIVE | 001 | 7/24/2009 |
| BAEP4639 | INSTL & REMOVAL OF TRAPPED SEGMENT STA-LOK NUT & WASHER | 001 | 8/25/1995 |
| BAEP4640 | PROT TREATMENTS & FINISHES FOR ACFT GROUND SUPPORT EQPT | 001 | 8/25/1995 |
| BAEP4641 | NYLON OR EPOXIDE COATING OF AL ALLOY DETAIL PARTS | 0F1 | 8/25/1995 |
| BAEP4642 | ASSY OF BAGGED GLASS-FIBRE DUCT INSULATION | 002 | 8/25/1995 |
| BAEP4643 | INSTL REQT FOR CONDUCTIVE GASKETS TO COUNTER RADIO FREQ INTRF | 0F1 | 8/25/1995 |
| BAEP4644 | APP OF DECORATIVE TRIM TO ACFT INTERIOR FURNISHING PANELS | 002 | 8/25/1995 |
| BAEP4645 | PROD OF SCREEN-PRINTED SELF ADHESIVE LABELS INTERNAL & EXTERNAL | 002 | 8/25/1995 |
| BAEP4647 | TORQUE TIGHTENING OF NUTS ON TENSION FASTENERS | 002 | 8/25/1995 |
| BAEP4650 | COLD WORKING OF HOLES IN AL ALLOYS BY SPLIT SLEEVE EXPANSION | 002 | 8/25/1995 |
| BAEP4651 | APP OF DECORATIVE WAX POLISHED SATIN FINISH TO FURNISHING ITEMS | 002 | 8/25/1995 |
| BAEP4653 | ASSY OF GAMAH COUPLINGS | 004 | 8/25/1995 |
| BAEP4656 | MFR OF SERRATED THREADED PARTS FOR USE WITH STA-LOK FASTENERS | 001 | 8/25/1995 |
| BAEP4657 | MANUAL INSTL OF POINT DRIVE BOLTS | 002 | 8/25/1995 |
| BAEP4658 | MANUAL INSTL OF SHOR THREAD POINT DRIVE LEAD-IN RADIUS BOLTS | 002 | 8/25/1995 |
| BAEP4659 | ASSY OF AEROQUIP J13 COUPLINGS | 002 | 8/25/1995 |
| BAEP4660 | WIRELOCKING | 001 | 8/25/1995 |
| BAEP4661 | INSTL OF TAPER PINS | 002 | 8/25/1995 |
| BAEP4672 | INSTL OF COMPOSI-LOK BLIND FASTENERS | 002 | 8/25/1995 |
| BAEP4674 | INSTL OF RIVNUTS | 003 | 8/25/1995 |
| BAEP4679 | INSTL OF CHERRY NUT PLATE RIVETS | 002 | 8/25/1995 |
| BAEP4681 | INSTL OF ACRE FASTENER SLEEVES IN HNYCMB CORED CARBON FIBRE COMPOSITS | 002 | 8/25/1995 |
| BAEP4683 | CONTOUR ETCHING OF AL AND AL ALLOY | 0F1 | 8/25/1995 |
| BAEP4683-2PSD1 | CONTOUR ETCHING OF ALUM & ALUM ALLOY | 000 | 7/12/2000 |

| | | | |
|----------------|--|-----|-----------|
| BAEP4683-2PSD2 | CONTOUR ETCHING OF ALUMINUM AND ALUMINUM ALLOY | 001 | 7/14/2011 |
| BAEP4683-2PSD3 | CONTOUR ETCHING OF ALUMINUM AND ALUMINUM ALLOYS | 001 | 3/8/2016 |
| BAEP4685 | RIVET HEAD MILLING | 001 | 8/25/1995 |
| BAEP4688 | PROCEDURE TO SUPPORT B BASIS STRENGTH VALUE MONITORING | 001 | 8/25/1995 |
| BAEP4690 | PLASMA & MICRO PLASMA WELDING | 001 | 8/25/1995 |
| BAEP4691 | PROCEDURE WHEN DESIGN DO NOT REQUIRE TECH SHEETS | 001 | 8/25/1995 |
| BAEP4703 | FABRICATION OF POLYETHERSULPHONE SHEET | 001 | 8/25/1995 |
| BAEP4705 | DEPOSITION OF COATINGS BY THE HIGH VELOCITY COMBUSTION SPRAY | 001 | 8/25/1995 |
| BAEP4708 | CHEMICAL CONTOURING OF TITANIUM & ALLOYS | 001 | 8/25/1995 |
| BAEP4709 | INTERIOR PROTECTION & FINISH MASTER SPEC BAE125 ACFT | 007 | 8/22/1995 |
| BAEP4709-7PSD1 | INTERIOR PROTECTION & FINISH MASTER SPEC | 000 | 10/5/1998 |
| BAEP4710 | PREPARATION & INSTL OF 4-START QUICK RELEASE FASTENERS | 001 | 8/25/1995 |
| BAEP4711 | PROCEDURE FOR THE APP OF JOINTING COMPOUND | 001 | 8/25/1995 |
| BAEP4712 | LOCKING OF BOLTS/NUTS USING TAB WASHERS | 001 | 8/25/1995 |
| BAEP4713 | AUTO LOW VOLTAGE ELECTROMAGNETIC SLUG RIVETING | 001 | 8/25/1995 |
| BAEP4716 | APP OF PRE-FORMED POLYURETHANE BOOTS TO ACFT RADOMES | 001 | 8/25/1995 |
| BAEP5000 | APVD ALTNV FOR CANCELLED & CURRENT MFG PROCESS SPEC | 002 | 8/16/1995 |
| BAEP5001 | ASSY OF CABLES TO CANNON CA-KE CONNECTORS | 002 | 8/25/1995 |
| BAEP5002 | ASSY OF CABLES TO HELLERMAN DEUTSCH TYPE 460 CONNECTORS | 002 | 8/25/1995 |
| BAEP5004 | WIRING OF CABLES TO HELLERMANN DEUTSCH PRESSURE BUNGS | 003 | 8/25/1995 |
| BAEP5007 | HAND CRIMPING TOOLS | 003 | 8/25/1995 |
| BAEP5010 | FITTING & INSTL OF TY-RAP CABLE TIES & IDENT TIES | 003 | 8/25/1995 |
| BAEP5011 | APP OF PANDUIT CABLE TIES | 003 | 8/25/1995 |
| BAEP5012 | FITTING & INSTL OF INSULOK CABLE TIES | 003 | 8/25/1995 |
| BAEP5013 | FITTING & INSTL OF SPIRAL BINDING FOR ELEC LOOMS | 003 | 8/16/1995 |
| BAEP5014 | FITTING OF HEAT SHRINK SLEEVES & SOLDER SLEEVES & EDGING STRIP | 0F1 | 8/25/1995 |
| BAEP5015 | CRIMPING OF AMP OF GREAT BRITAIN TERMINATIONS TO ELEC CABLES | 0F1 | 8/16/1995 |
| BAEP5016 | ELEC BONDING & EARTHING METAL TO METAL | 004 | 8/16/1995 |
| BAEP5016-4PSD1 | ELECTRICAL BONDING & EARTHING METAL TO METAL | 000 | 12/4/1996 |
| BAEP5017 | ASSY OF CABLES TO HELLERMANN DEUTSCH DTP PRESSURE BUNG | 003 | 8/25/1995 |
| BAEP5018 | ASSY OF COMPOUND-FILLED PRESSURE SEALS | 005 | 8/25/1995 |
| BAEP5019 | ASSY OF CABLES TO NAS1599 TYPE LTWT & DERIVATIVE ELEC CONN | 003 | 8/25/1995 |
| BAEP5020 | ASSY OF CABLES TO HIGH TEMP CONN | 002 | 8/25/1995 |
| BAEP5021 | ASSY & WIRING OF FIRE RESISTANT BULKHEAD SEAL DEUTSCH | 0F1 | 8/25/1995 |

| | | | |
|----------|---|-----|-----------|
| BAEP5022 | FITTING OF FLEXIFORM NYLON & PTFE GROMMETS | 003 | 8/25/1995 |
| BAEP5023 | ASSY OF CABLES TO AMPHENOL 48 SERIES MINIATURE ELEC CONN | 002 | 8/25/1995 |
| BAEP5024 | TERMINATION OF ELEC LIGHT WEIGHT CONDUITS | 004 | 8/25/1995 |
| BAEP5025 | ASSY OF COMPONENTS TO PRINTED CIRCUIT BOARDS | 00F | 8/25/1995 |
| BAEP5026 | ELEC BONDING & EARTHING-SPECIAL PROCEDURES FOR AIRBUS ACFT | 004 | 8/25/1995 |
| BAEP5027 | PRINTING CIRCUIT BOARDS MFR REQ T | 001 | 8/25/1995 |
| BAEP5028 | ASSY OF VOI-SHAN GROUNDING STUDS | 004 | 8/25/1995 |
| BAEP5029 | POTTING OF ELEC COMPONENTS | 002 | 8/25/1995 |
| BAEP5030 | PROCEDURE FOR PHANTOM F-4K & M RADOME L-BAND MOD | 0F1 | 8/25/1995 |
| BAEP5031 | LINING OF METAL CONDUITS & SUPPORT STRUCTURES FOR ELEC CABLES | 004 | 8/25/1995 |
| BAEP5032 | PRINTING OF IDENT CODES ON ELEC WIRE | 003 | 8/25/1995 |
| BAEP5033 | ASSY OF HEAT SHRINKABLE MOULDED PARTS | 003 | 8/25/1995 |
| BAEP5034 | RAYCHEM TERMINATION SYSTEM MTC CONN WITH SOLDERED CONTACTS | 005 | 8/25/1995 |
| BAEP5035 | RAYCHEM TERMINATION SYSTEM MTC CONN WITH CRIMPED CONTACTS | 002 | 8/25/1995 |
| BAEP5037 | PRINTING OF THERMO-FIT MARKER SLEEVES | 002 | 8/25/1995 |
| BAEP5038 | CRIMPING OF POST INSULATED TERMINALS & IN-LINE SPLICES | 0F1 | 8/25/1995 |
| BAEP5039 | CRIMPING OF IN-LINE SPLICES | 003 | 8/25/1995 |
| BAEP5040 | ASSY OF CO-AXIAL CONN | 007 | 8/25/1995 |
| BAEP5041 | ASSY OF FIRE SEALS | 004 | 8/25/1995 |
| BAEP5042 | INSTL OF CONTACTS ECT TO MISCELLANEOUS ITEMS OF EQPT | 003 | 8/25/1995 |
| BAEP5043 | ASSY OF CIRCULAR CONNECTORS | 004 | 8/16/1995 |
| BAEP5044 | ASSY OF RECTANGULAR CONN | 004 | 8/16/1995 |
| BAEP5045 | WIRING & ASSY OF HELLERMANN DEUTSCH PRESS BUNGS | 003 | 8/16/1995 |
| BAEP5047 | ASSY OF ARINC 404A & ARINC 600 CO-AXIAL CONN | 005 | 8/25/1995 |
| BAEP5051 | PROCEDURE FOR THE MFR OF COMPONENTS USING WIRE WRAP TECH | 002 | 8/25/1995 |
| BAEP5052 | SOLDERING OF ELECTRICAL COMPONENTS | 001 | 8/25/1995 |
| BAEP5053 | ASSY OF FENWAL CONN | 001 | 8/25/1995 |
| BAEP5054 | HEXAGON CRIMPING TOOLS | 001 | 8/25/1995 |
| BAEP5058 | HANDLING & ASSY OF STATIC SENSITIVE DEVICES | 001 | 8/25/1995 |
| BAEP5059 | IDENT OF ACFT WIRING USING SYNTHETIC RUBBER SLEEVES | 002 | 8/25/1995 |
| BAEP5060 | ASSY OF RACEWAYS & CABLE LOOMS INTO RACEWAYS | 001 | 8/25/1995 |
| BAEP5062 | TORQUE LOADING OF ELEC CONN & COMPONENTS | 001 | 8/25/1995 |
| BAEP5066 | APP OF ELEC SPRAYED NYLON COATING ON ELEC INSTL | 002 | 8/25/1995 |
| BAEP5067 | STRIPPING OF ELEC WIRES WITH THE FE0300 STRIPPING TOOL | 001 | 8/25/1995 |

| | | | |
|-----------------|--|-----|-----------|
| BAEP5068 | CRIMPING OF CONN CONTACTS USING THE TRI-STAR PORTA TAC MACHINE | 001 | 8/25/1995 |
| BAEP5069 | REPAIRS TO KAPTON INSULATED PTFE TAPE WRAPPED OUTER COVERING CABLES | 001 | 8/25/1995 |
| BAEP5070 | MOUNTING OF CONNECTOR ON FUEL TANK WALLS | 001 | 8/25/1995 |
| BAEP5071 | PRINTING OF IDENT CODES ON ELEC CABLES WITH KINGSLEY ELEC CABLE | 001 | 8/25/1995 |
| BAEP5076 | ASSY OF RPX/EPX CONNECTORS | 001 | 8/25/1995 |
| BAEP5119 | CRIMPING OF AMP MATE-N-LOK CONTACTS | 001 | 8/25/1995 |
| BAEP7000 | GENERAL WORKSHOP PRACTICES MASTER SPEC | 001 | 8/25/1995 |
| BAEP7400 | INSTL OF RADIAL-LOK FASTENERS | 001 | 8/25/1995 |
| BAEP7700 | METHOD OF REMOVAL OF AKZO COATINGS INTERMEDIATE COAT | 001 | 8/25/1995 |
| BAEP7701 | ANODISING OF AL ALLOYS USING A LOCAL APP PROCESS | 001 | 8/25/1995 |
| BAEP7702 | TREATMENT OF CSK BOLT HOLES IN WING & TAILPLANE | 001 | 8/26/1995 |
| BAEP7703 | APP OF ALUMIGRIP PAINT FINISH TO ACFT EXTERNAL SURFACES | 001 | 8/26/1995 |
| BAEP7704 | APP OF MANKIEWICZ PAINT FINISHES TO ACFT INTERIOR COMPONENTS | 001 | 8/26/1995 |
| BAEP7705 | APP OF JET GLO PAINT FINISH TO ACFT EXTERNAL SURFACES | 001 | 8/26/1995 |
| BAEP9001 | DEF & PROC REL TO BAE MATL & PROCESS SPEC | 007 | 8/26/1995 |
| BAEP9002 | STORAGE, MARKING & LIFE OF RUBBER COMPONENTS | 0F1 | 8/26/1995 |
| BAEP9004 | TEST PIECE REQ T FOR HEAT TREATMENT CONTROL | 004 | 8/26/1995 |
| BAEP9004-4PSD1 | TEST PIECE REQUIREMENTS FOR HEAT TREATMENT CONTROL | 001 | 2/10/2010 |
| BAEP9006 | HEAT TREATMENT OF AL ALLOYS | 005 | 8/26/1995 |
| BAEP9006-5PSD1 | THE HEAT TREATMENT OF ALUMINUM ALLOYS | 001 | 3/4/2011 |
| BAEP9007 | HEAT TREATMENT OF TITANIUM & ITS ALLOYS | 0F1 | 8/26/1995 |
| BAEP9008 | HEAT TREATMENT OF STEEL | 002 | 8/26/1995 |
| BAEP9008-2PSD1 | HEAT TREATMENT OF STEEL | 003 | 3/30/2009 |
| BAEP9008-2PSD2 | HEAT TREATMENT OF STEEL | 001 | 6/17/2010 |
| BAEP9008-2PSD3 | HEAT TREATMENT OF STEEL | 001 | 1/23/2014 |
| BAEP9009 | STRESS RELIEVING OF STEELS & NICKEL ALLOYS | 004 | 8/26/1995 |
| BAEP9009-4-PSD1 | STRESS RELIEVING OF STEELS AND NICKEL ALLOYS | 001 | 5/29/2007 |
| BAEP9009-4PSD2 | STRESS RELIEVING OF STEELS AND NICKEL ALLOYS | 001 | 8/11/2010 |
| BAEP9012 | SURFACE PROTECTION OF METALS DURING HEAT TREATMENT | 001 | 8/26/1995 |
| BAEP9014 | CLEANING OF STAINLESS STEEL | 0F1 | 8/26/1995 |
| BAEP9015 | CLEANING OF ALUMINIUM & ITS ALLOYS | 002 | 8/26/1995 |
| BAEP9016 | PICKLING OF COPPER & COPPER ALLOYS | 0F1 | 8/26/1995 |
| BAEP9018 | CLEANING OF PIPES (EXCLUDING OXYGEN PIPES), (SHEETS 15 THRU 18 WERE NOT FOUND) | 0F1 | 8/21/1995 |
| BAEP9026 | FABRICATION OF HIGH TENSILE STEEL PARTS | 0F1 | 8/26/1995 |

| | | | |
|----------------|---|-----|------------|
| BAEP9027 | GENERAL INSTR FOR THE FABRICATION OF WROUGHT TITANIUM & ALLOYS | 001 | 8/26/1995 |
| BAEP9033 | STRIPPING OF PAINT | 0F1 | 8/21/1995 |
| BAEP9033-5PSD1 | STRIPPING OF PAINT (PREVIOUSLY S29-33) | 000 | 12/19/1995 |
| BAEP9034 | REMOVAL OF PAINT FILMS BY THE PAINTBLAST PROCESS | 001 | 8/26/1995 |
| BAEP9037 | RECTIFICATION OF SCRATCHED CLAD SURFACES | 0F1 | 8/21/1995 |
| BAEP9038 | TEMP CORROSION PROTECTION OF METALLIC MATERIALS | 0F1 | 9/1/1995 |
| BAEP9038-1PSD1 | TEMP CORROSION PROTECTION OF METALLIC MATERIALS | 000 | 12/19/1995 |
| BAEP9038-1PSD2 | TEMPORARY CORROSION PROTECTION OF METALLIC MATERIALS | 001 | 6/4/2007 |
| BAEP9046 | MEASUREMENT OF PEENING & BLASTING INTENSITY BY THE ALMEN GAUGE | 003 | 8/26/1995 |
| BAEP9048 | ANODIC PICKLING OF NON-STAINLESS STEELS | 0F1 | 8/26/1995 |
| BAEP9049 | ALKALINE CLEANING | 003 | 8/26/1995 |
| BAEP9049-3PSD1 | ALKALINE CLEANING | 002 | 9/30/2008 |
| BAEP9049-PSD1 | ALKALINE CLEANING | 001 | 6/27/2008 |
| BAEP9050 | ETCHING OF ALUMINIUM ALLOYS IN 'ALMECO 100 BAE AND 199' | 004 | 8/26/1995 |
| BAEP9050-4PSD1 | ETCHING OF ALUMINUM ALLOYS IN ALMECO 100 BAE AND 199 | 000 | 9/25/2001 |
| BAEP9051 | ELECTROLYTIC ALKALINE CLEANING | 002 | 8/26/1995 |
| BAEP9053 | DEGREASING OF METALLIC MATERIALS | 007 | 8/21/1995 |
| BAEP9053-7PSD1 | DEGREASING OF METALLIC MATERIALS | 000 | 12/19/1995 |
| BAEP9053-7PSD2 | DEGREASING OF METALLIC MATERIALS | 00A | 7/23/2003 |
| BAEP9053-7PSD3 | DEGREASING OF METALLIC MATERIALS | 000 | 5/25/2000 |
| BAEP9053-7PSD4 | DEGREASING OF METALLIC MATERIALS | 000 | 9/25/2001 |
| BAEP9053-7PSD5 | DEGREASING OF METALLIC MATERIALS | 001 | 6/27/2008 |
| BAEP9053-7PSD6 | DEGREASING OF METALLIC MATERIALS | 001 | 4/22/2009 |
| BAEP9053-7PSD7 | DEGREASING OF METALLIC MATERIALS | 002 | 11/18/2010 |
| BAEP9053-7PSD8 | DEGREASING OF METALLIC MATERIALS | 001 | 9/25/2015 |
| BAEP9054 | LOCAL CHROMATE TREATMENT OF MAGNESIUM ALLOYS | 003 | 8/26/1995 |
| BAEP9056 | PICKLING OF TITANIUM & TITANIUM ALLOYS | 003 | 8/26/1995 |
| BAEP9057 | SODIUM FLUOR-SULPHURIC ACID PICKLING OF ALUMINIUM ALLOYS | 001 | 8/26/1995 |
| BAEP9058 | THE PRE-TREATMENT OF P.T.F.E. SURFACES IN PREPARATION FOR BONDING | 001 | 8/26/1995 |
| BAEP9060 | AMP SOLDERLESS PRE-INSULATED TERMINALS THE METHOD OF ASSEMBLY | 0F1 | 8/26/1995 |
| BAEP9061 | MASKANTS FOR CONTOUR ETCHING | 004 | 8/26/1995 |
| BAEP9061-1PSD1 | MASKANTS FOR CONTOUR ETCHING | 000 | 3/4/1999 |
| BAEP9061-4PSD2 | MASKANTS FOR CONTOUR ETCHING | 001 | 1/31/2008 |
| BAEP9062 | COMMON REQUIREMENT FOR METAL-METAL ADHESIVE BONDING | 002 | 8/26/1995 |

| | | | |
|----------------|--|-----|------------|
| BAEP9062-2PSD1 | COMMON REQ FOR METAL ADHESIVE BONDING | 002 | 10/4/1999 |
| BAEP9062-2PSD2 | COMMON REQ FOR METAL-METAL ADHESIVE BONDING | 001 | 5/24/1999 |
| BAEP9062-2PSD3 | COMMON REW FOR METAL-METAL ADHESIVE BONDING | 000 | 5/24/1999 |
| BAEP9063 | MASKING PRIOR TO CHEMICAL CLEANING | 002 | 8/26/1995 |
| BAEP9065 | APPLICATION OF PAINT RESIST PRIOR TO CONTOUR ETCHING | 003 | 8/26/1995 |
| BAEP9067 | PICKLING OF NICKEL CHOMIUM ALLOYS | 0F1 | 8/26/1995 |
| BAEP9068 | TREATMENT & SCRAGGING OF HELICAL COMPRESSION SPRINGS | 0F1 | 8/26/1995 |
| BAEP9069 | LIQUID IMMERSION DEGREASING | 0F1 | 8/26/1995 |
| BAEP9069-2PSD1 | LIQUID IMMERSION DEGREASING | 003 | 5/21/2004 |
| BAEP9069-2PSD2 | LIQUID IMMERSION DEGREASING | 000 | 7/12/2000 |
| BAEP9069-2PSD3 | LIQUID IMMERSION DEGREASING | 002 | 4/22/2009 |
| BAEP9069-2PSD4 | LIQUID IMMERSION DEGREASING | 001 | 1/5/2011 |
| BAEP9069-PSD1 | LIQUID IMMERSION DEGREASING | 000 | 6/8/1998 |
| BAEP9070 | PREPARATION OF RUBBER SURFACES PRIOR TO BONDING | 002 | 8/26/1995 |
| BAEP9071 | GENL REQT & PROC FOR RMV & REPL CMPNT ON PRINTED CIRCUITS | 0F1 | 8/26/1995 |
| BAEP9072 | COMMON REQT FOR ALUMINIUM ALLOY HNYCMB SAN CONSTRUCTION | 0F1 | 8/26/1995 |
| BAEP9075 | APP OF SODIUM ALGINATE TEMPORARY RELEASE AGENT | 003 | 10/25/1995 |
| BAEP9076 | TEMP PROTECTION OF SURFACES AGAINST DAMAGE | 004 | 8/26/1995 |
| BAEP9078 | FITTING OF JO-BOLTS | 0F1 | 8/26/1995 |
| BAEP9079 | PROCEDURE FOR THE OPERATION OF THE AVRO HNYCMB BOND TESTER | 0F1 | 8/26/1995 |
| BAEP9080 | CALIBRATION OF MASTER PYROMETERS | 0F1 | 8/26/1995 |
| BAEP9081 | REFRIGERATION OF SOLUTION-TREATED ALUMINIUM ALLOYS TO RETARD NATURAL AGING | 002 | 8/26/1995 |
| BAEP9081-2PSD1 | REFRIGERATION OF SOLUTION TREATED AL ALLOYS | 000 | 12/20/1995 |
| BAEP9082 | APPROVAL OF RESISTANCE WELDING MACHINES & DERIVATION OF MACHINE SETTINGS | 0F1 | 8/26/1995 |
| BAEP9083 | SPRAYABLE MASKING FOR CONTOUR ETCHING | 002 | 8/26/1995 |
| BAEP9084 | USE OF METALLIC MATL TO SPEC WHICH HAVE BEEN RE-ISSUED OR CANCELLED | 004 | 8/26/1995 |
| BAEP9085 | EFFECT OF METRICATION ON THE PROV OF WRT MTLC MATL | 0F1 | 8/26/1995 |
| BAEP9088 | ELEC CONDUCTIVITY TESTING ALUMINIUM ALLOYS | 005 | 8/26/1995 |
| BAEP9088-5PSD1 | ELECTRICAL CONDUCTIVITY TESTING - ALUMINUM ALLOYS | 001 | 6/4/2007 |
| BAEP9089 | RELATED SPEC FOR USE IN THE MFR OF THE A300B AIRBUS | 0F1 | 8/26/1995 |
| BAEP9090 | COMMON REQT FOR THE ROUTING, MFR PRESS TESTING & INSTL PIPING SYS | 002 | 8/26/1995 |
| BAEP9091 | EFFECT OF METRICATION ON THE PROVISIONING OF NON-METALLIC MATL | 0F1 | 8/26/1995 |
| BAEP9095 | DEFINITION OF CODES USED ON DRWG TO SPECIFY PROTECTIVE TREAT | 007 | 8/26/1995 |

| | | | |
|----------------|---|-----|------------|
| BAEP9098 | PROC FOR THE APPROVAL, ACCPT & USE OF METALLIC MATL | 002 | 8/26/1995 |
| BAEP9099 | CHROMIC/SULPHURIC PICKLING OF ALUMINIUM & ALUMINIUM ALLOYS | 002 | 8/26/1995 |
| BAEP9099-2PSD1 | CHROMIC/SULPHURIC PICKING OF ALUMINIUM ALLOYS | 001 | 10/29/1999 |
| BAEP9099-2PSD2 | CHROMIC SULPHURIC PICKING OF AL ALLOYS | 000 | 5/1/2000 |
| BAEP9100 | HEAT TREATMENT OF L37 RIVETS | 002 | 8/26/1995 |
| BAEP9101 | TESTING & CHECKING OF ELEC LOOM ASSY | 002 | 8/26/1995 |
| BAEP9102 | STRIPPING OF ELEC WIRES & CABLES | 006 | 8/26/1995 |
| BAEP9103 | TESTING & CHECKING OF CRIMPING TOOLS | 005 | 8/26/1995 |
| BAEP9202 | DEBURRING OF PARTS BY ROTATING BARREL, TUMBLING CENTRIFUGAL | 001 | 8/26/1995 |
| BAEP9203 | RELEASE AGENTS FOR SPECIFIED PURPOSES | 002 | 8/26/1995 |
| BAEP9207 | PICKLING OF STAINLESS-STEEL & NICKEL CHROMIUM ALLOYS | 0F1 | 8/26/1995 |
| BAEP9209 | DETERMINATION OF CLADDING THICKNESS ON AL ALLOY PLATE | 0F1 | 8/26/1995 |
| BAEP9211 | BCF & SIMILAR FIRE EXTINGUISHANTS | 0F1 | 8/26/1995 |
| BAEP9212 | RELATED SPEC FOR USE IN THE MFR OF THE BAE 146 | 005 | 8/26/1995 |
| BAEP9213 | TURCOFORM SPRAYABLE MASKANT FOR CONTOUR ETCHING | 002 | 8/26/1995 |
| BAEP9215 | SIKKENS SPRAYABLE MASKANT FOR CONTROUR ETCHING | 001 | 8/26/1995 |
| BAEP9216 | IDENT OF PARTS & ASSY FOR AV-8B | 0F1 | 8/26/1995 |
| BAEP9218 | RELATED SPEC FOR USE IN MFR OF A320 & SUBSEQUENT ACFT | 003 | 8/26/1995 |
| BAEP9220 | FABRICATION OF COPPER BERYLLIUM MATL CU-BE-250 | 003 | 8/26/1995 |
| BAEP9224 | PRESS TESTING OF PIPE ASSY ETC | 001 | 8/26/1995 |
| BAEP9225 | DEOXIDATION OF ALUMINIUM ALLOYS | 001 | 8/26/1995 |
| BAEP9225-1PSD1 | DEOXIDATION OF ALUMINUM ALLOYS | 000 | 6/18/1999 |
| BAEP9225-1PSD2 | DEOXIDATION OF ALUMINUM ALLOYS | 000 | 8/13/1999 |
| BAEP9226 | HARDNESS TESTING METALLIC MATL | 002 | 8/26/1995 |
| BAEP9226-2PSD1 | HARDNESS TESTING - METALLIC MATERIALS | 001 | 5/29/2007 |
| BAEP9227 | CONVERSION OF MATL TO ANOTHER SPEC | 001 | 8/26/1995 |
| BAEP9228 | MACHINING OF COMPOSITES | 001 | 8/26/1995 |
| BAEP9229 | STORAGE & SHELF LIFE CONTROL OF PRE-IMPREGNATED MATL | 001 | 8/26/1995 |
| P1000 | MACHINING FINISH GENERAL | 00L | 02/14/1986 |
| P1020 | STRAIGHTENING OF WROUGHT ALUMINUM MACHINED PARTS | 000 | 03/18/1991 |
| P1021 | MACHINING - ADDITIONAL REQUIREMENT FOR MU-300 | 000 | 02/20/1986 |
| P1050 | CHEMICAL MILLING | 00B | 02/20/1986 |
| P1052 | CHEMICAL MILLING, ALUMINUM AND ALUMINUM ALLOYS | 00C | 04/20/1989 |
| P1053 | CHEMICAL MILLING - DECARBURIZED LAYER OF FERROUS BASE | 000 | 02/14/1986 |

| | | | |
|-------|---|-----|------------|
| P1100 | FORMING PROCESS, SHEET METAL, EXTRUSION AND PLASTIC SHEET FABRICATION - GENERAL | 00H | 02/20/1986 |
| P1103 | FORMING AND STRAIGHTENING OF ALUMINUM ALLOYS,GENERAL | 00D | 02/14/1986 |
| P1107 | FORMING PROCESS,TUBE FABRICATION OF - GENERAL | 00G | 02/14/1986 |
| P1121 | MANUFACTURING OF GLASS -CLOTH BASED POLYESTER RESINE | 00B | 02/14/1986 |
| P1142 | MANUFACTURE OF LOW TEMPERATURE AUTOCLAVE CURED EPOXY STRUCTURAL PARTS | 00B | 02/14/1986 |
| P1150 | MANUFACTURE OF POLYESTER HONEYCOMB SANDWICH PARTS AND LAMINATE PARTS | 00A | 02/14/1986 |
| P1158 | PREPARATION AND APPLICATION OF PLASTIC FILLER AND PLASTIC SHIM COMPOUNDS | 00A | 02/14/1986 |
| P1164 | FABRICATION OF NON-METALLIC / METALLIC SANDWICH STRUCTURES | 000 | 02/14/1986 |
| P1168 | SWAGING AND INSTALLATION OF PERMASWAGE FITTING | 000 | 02/14/1986 |
| P1174 | HOT FORMING AND BENDING OF FERROUS MATERIAL | 000 | 04/20/1989 |
| P1204 | SUBJECT - AIR-TIGHT, WATER-TIGHT SEALING - GENERAL | 00C | 02/14/1986 |
| P1208 | SEAL, DOOR, FORM-IN-PLACE, FABRICATION | 00B | 02/20/1986 |
| P1209 | WATERPROOF SEALING ON OUTER SURFACE - GENERAL | 00B | 02/14/1986 |
| P1210 | PRESSURE AND AIRTIGHT SEALING : 100-175 C | 00A | 02/14/1986 |
| P1211 | SEALING HEAT-RESISTING SILICONE SEALANT (PROCESS SPEC) | 000 | 02/20/1986 |
| P1212 | ELECTRICAL WATERPROOFING FOR TEMPERATURE UP TO 107 C | 00B | 02/14/1986 |
| P1214 | WATERPROOFING OF ELECTRICAL CONNECTORS FOR OPERATIONAL TEMPERATURE UP TO 240C | 00B | 02/14/1986 |
| P1220 | SEALING METHOD: HIGH TEMPERATURE FIREPROOF WALL | 00A | 11/06/1962 |
| P1221 | SEALING PROCEDURES FOR INTEGRAL TANKS | 00E | 03/22/1986 |
| P1226 | SEALING-FUEL TANK COMPARTMENT | 000 | 06/03/1970 |
| P1300 | INSTALLATION OF RIVET, BLIND FASTENER AND SPECIAL FASTENER | 00R | 02/20/1986 |
| P1301 | INSTALLATION OF THREADED FASTENERS PINS AND SAFETYING DEVICES | 00S | 05/31/1962 |
| P1302 | INSTALLATION OF THREADED INSERTS | 00G | 02/14/1986 |
| P1303 | INSTALLATION OF RIVETS & THREADED FASTENERS - FOR INTEGRAL | 00A | 02/14/1986 |
| P1305 | INSTALLATION OF QUICK FASTENER-CAMLOC, DZUS & AIRLOC | 00G | 02/14/1986 |
| P1307 | DIMPLING: HOT AND COLD | 00F | 02/20/1986 |
| P1315 | FLATNESS - GENERAL REQUIREMENTS FOR FASTENERS | 000 | 02/14/1986 |
| P1317 | INSTALLATION OF THREADED TAPER PINS | 000 | 02/14/1986 |
| P1319 | INSTALLATION OF COTTER PINS | 00A | 02/14/1986 |
| P1500 | FUSION WELDING - GENERAL | 00N | 02/14/1986 |
| P1501 | WELDING-SPOT,SEAM-GENERAL | 00H | 02/14/1986 |
| P1508 | BRAZING | 00E | 02/14/1986 |
| P1510 | SOLDERING | 00B | 02/14/1986 |

| | | | |
|--------|--|-----|------------|
| P1511 | SOLDERING-ELECTRICAL & ELECTRONICS EQUIPMENT-GENERAL | 00B | 02/20/1986 |
| P1604 | TOLERANCE, DIE FORGING OF-GENERAL | 00A | 02/14/1986 |
| P1605 | GENERAL TOLERANCE FOR CASTING**PROCESS SPEC | 00B | 02/14/1986 |
| P1606 | DIMENSIONAL CONTROL OF CASTINGS & FORGINGS | 000 | 02/20/1986 |
| P1607 | ADDITIONAL QUALITY REQUIREMENT OF HIGH - STRENGTH ALUMINUM HAND FORGINGS | 000 | 02/14/1986 |
| P1722 | BONDING OF HONEYCOMB SANDWICH PANEL (-55 - +100C) | 00C | 02/20/1986 |
| P1726 | BONDING - NON STRUCTURAL - GENERAL | 00B | 02/14/1986 |
| P1727 | BONDING OF SOFT URETHANE FOAMS | 000 | 03/06/1986 |
| P1728 | ADHESION OF SANDWICH PANEL, FOAMED PLASTIC | 000 | 02/20/1986 |
| P1740 | CEMENTING OF ETCHED TEFLON | 00B | 02/14/1986 |
| P1745 | CURED ADHESIVE OF RUBBER AND METAL | 000 | 02/14/1986 |
| P1746 | mitsubishi spec****ADHESIVE BONDING-LOCKING & RETAINING | 000 | 02/14/1986 |
| P1749 | STRUCTURAL ADHESIVE BONDING OF BEARING AND SLIDING PARTS | 00A | 02/14/1986 |
| P1754 | ADHESIVE BONDING-STRUCTURAL METAL TO METAL AND METAL TO HONEYCOMB | 00A | 02/20/1986 |
| P1760 | TOLERANCE REQUIREMENT FOR BOND DETAILS | 000 | 02/14/1986 |
| P1762 | BONDING-MU-300 STATIC DISCHARGE RETAINER | 000 | 02/14/1986 |
| P1766 | mitsubishi spec****ADHESIVE BONDING POLYCARBONATE | 00A | 02/14/1986 |
| P1774 | ADHESIVE BONDING OF HEATERS TO PITOT MASTS, MU-300 | 000 | 03/06/1986 |
| P1801 | ADJUSTMENT & LOCKING OF TURNBUCKLE-GENERAL | 00E | 02/14/1986 |
| P1802 | MITSUBISHI SPEC | 00E | 02/14/1986 |
| P1805 | INSTALLATION OF TUBING ASSEMBLIES AND TUBE FITTINGS | 00Q | 07/25/1964 |
| P1808 | INSTALLATION OF TELEFLEX CONTROL CABLE - GENERAL | 000 | 02/14/1986 |
| P1816 | CABLE CONTROL SYSTEM-GENERAL PROCESS | 00A | 02/14/1986 |
| P1856 | INSTALLATION RUBBER TUBE & FIRE SLEAVE | 000 | 02/14/1986 |
| P1902 | MITSUBISHI SPEC****MARKINGS,PARTS & ASSEMBLY OF-GENERAL | 00K | 02/14/1986 |
| P1903 | MARKING-RUBBER STAMP | 00A | 02/14/1986 |
| P19041 | TEST AND REQUIREMENTS-RAIN PROOF OF MU-300 | 00B | 03/01/1986 |
| P19055 | IDENTIFICATION MARKING OF FLUID LINES | 000 | 02/14/1986 |
| P19058 | TEST AND REQUIREMENTS - RAIN-PROOF OF MU-300, MAI | 000 | 03/01/1986 |
| P1920 | AGE CONTROL OF RUBBER MATERIALS AND PARTS | 00E | 02/14/1986 |
| P1927 | APPLICATION OF DECALCOMANIAS - GENERAL | 000 | 02/14/1986 |
| P1929 | FINISHING METHOD FOR NAME PLATES, INSTRUMENTS, PANELS, PLACARDS, ETC. | 000 | 02/14/1986 |
| P1934 | MATERIAL SPECIFICATION LIST FOR AGE CONTROL | 00D | 02/14/1986 |
| P1935 | STANDARD PARTS LIST FOR AGE CONTROL | 00T | 02/14/1986 |

| | | | |
|-------|--|-----|------------|
| P1936 | STITCH AND SEWING - GENERAL | 000 | 02/14/1986 |
| P1945 | FABRICATION OF CABLE TERMINAL ASSY | 00E | 02/20/1986 |
| P1946 | GENERAL REQUIREMENTS FOR COLD COILED | 00A | 02/14/1986 |
| P2000 | HEAT TREATMENT - CARBON STEEL, ALLOY STEEL, HEAT & CORROSION | 00B | 02/20/1986 |
| P2001 | HEAT TREATMENT - CARBON STEELS AND ALLOY STEELS | 00F | 02/14/1986 |
| P2003 | HEAT TREATMENT - CORROSION RESISTANT, HEAT RESISTANT STEELS | 00D | 02/14/1986 |
| P2007 | RELIEF OF HYDROGEN EMBITTERMENT FOR STEEL | 00E | 02/14/1986 |
| P2010 | TEMPERATURE CONTROL FOR HEAT TREATING AND THERMAL PROCESSING | 000 | 12/18/1989 |
| P2011 | SURFACE HARDENING - CARBON STEEL, ALLOY STEEL - GENERAL | 00E | 02/25/1986 |
| P2015 | MITSUBISHI SPEC****TREATMENT-HIGH STRENGTH STEEL PARTS | 00D | 02/14/1986 |
| P2020 | HEAT TREATMENT - ALUMINUM AND ALUMINUM ALLOYS | 00R | 02/14/1986 |
| P2075 | CARBON RECOVERY TREATMENT FOR STEEL FORGING | 000 | 02/25/1986 |
| P2200 | GENERAL CLEANING | 00H | 02/14/1986 |
| P2207 | MHI SPEC****CLEANING FOR PLASTIC AND GLASS-GENERAL | 00B | 02/14/1986 |
| P2225 | MITSUBISHI SPEC****CLEANING & POLISH-ACRYLIC WINDOW GLASS | 000 | 02/14/1986 |
| P2227 | REMOVAL OF SCALE AND OXYGEN CONTAMINATED LAYER FOR TITANIUM AND TITANIUM ALLOY | 000 | 02/14/1986 |
| P2237 | SOLVENT VAPOR DEGREASING | 00B | 02/25/1986 |
| P2249 | CLEANING OF ALUMINUM ALLOY | 00A | 02/14/1986 |
| P2256 | CLEANING OF FERROUS ALLOYS | 000 | 02/14/1986 |
| P2257 | CLEANING & CAPPING OF FLUID CARRYING PARTS | 00A | 10/24/1989 |
| P2258 | SOLVENT VAPOR DEGREASING | 000 | 02/14/1986 |
| P2259 | CLEANING OF COPPER ALLOYS | 000 | 02/14/1986 |
| P2260 | CLEANING OF MAGNESIUM ALLOY | 000 | 02/14/1986 |
| P2301 | ANODIZE TREATMEN-ALUMINUM ALLOYS | 00E | 02/20/1986 |
| P2303 | HARD ANODIZE TREATMENT - ALUMINUM ALLOYS PROCESS SPECIFICATION | 00E | 02/14/1986 |
| P2304 | CHEMICAL FILM TREATMENT - ALUMINUM ALLOYS | 00E | 02/22/1986 |
| P2305 | CHEMICAL FILM TREATMENT - MAGNESIUM ALLOY | 00C | 02/14/1986 |
| P2306 | PHOSPHATE COATING | 00G | 02/14/1986 |
| P2322 | BRUSH PLATING | 000 | 02/14/1986 |
| P2350 | CADMIUM PLATING - GENERAL | 00H | 02/14/1986 |
| P2351 | HARD CHROMIUM PLATING GENERAL | 00D | 02/14/1986 |
| P2364 | SULFAMATE NICKEL PLATING - HARD, GENERAL | 00A | 02/14/1986 |
| P2368 | MITSUBISHI SPEC-CADMIUM-TITANIUM ALLOY PLATING | 00C | 02/22/1986 |

| | | | |
|-------|--|-----|------------|
| P2371 | POROUS CODMIUM PLATING | 000 | 02/22/1986 |
| P2400 | GENERAL REQUIREMENTS FOR THE APPLICATION | 00E | 02/14/1986 |
| P2403 | APPLICATION OF TWO-COMPONENTS EPOXY PRIMER | 00F | 12/14/1986 |
| P2433 | APPLICATION OF ORGANIC COATING FOR TRP | 00C | 02/14/1986 |
| P2448 | APPLICATION OF POLYURETHANE COATING TO EXTERIOR SURFACE OF AIRCRAFTS | 00C | 02/14/1986 |
| P2450 | APPLICATION OF PAINT FOR INTEGRAL TANK - GENERAL | 00A | 02/14/1986 |
| P2461 | APPLICATION OF HIGH TEMPERATURE EPOXY PRIMER | 00A | 01/09/1992 |
| P2480 | APPLICATION OF NITROCELLULOSE LACQUER | 000 | 02/04/2004 |
| P2602 | APPLICATION OF CORROSION PRERENTIVE COMPOUNDS FOR STEEL PARTS | 00C | 06/19/1989 |
| P2605 | APPLICATION OF BONDED DRY FILM LUBRICANTS | 00C | 02/14/1986 |
| P2700 | FINISHES AND COATINGS; GENERAL SPECIFICATION FOR | 00U | 01/25/1988 |
| P2705 | SHOT PEENING | 00E | 02/14/1986 |
| P2712 | PROCESS SPECIFICATION** SURFACE TREATMENT | 00D | 11/02/1988 |
| P2718 | MU-300 INTERIOR & EXTERIOR COLOR SCHEME | 00S | 02/13/1986 |
| P2900 | REPAIR REWORK-ABRASION,SCRATCH AND CORROSION | 00E | 03/13/1986 |
| P2902 | REMOVAL OF SURFACE IMPERFECTIONS AND SCRATCHES FROM ACRYLIC SURFACES | 00C | 02/14/1986 |
| P2911 | MASKING OF TRANSPARENT PLASTIC MATERIAL | 000 | 02/14/1986 |
| P2959 | STANDARD REPAIR STOCK-MU300 - PROCESS SPEC | 000 | 02/14/1986 |
| P3002 | HYDRAULIC SYSTEM COMPONENTS, ASSEMBLY, TESTING AND STORAGE | 00A | 03/13/1986 |
| P3223 | ADJUSTMENT OF NOSE LANDING GEAR SYSTEM | 00B | 02/13/1986 |
| P3225 | FUNCTIONAL TEST REQUIREMENT FOR NOSE STEERING SYSTEM | 00D | 03/28/1990 |
| P3227 | RECEIVING INSPECTION OF MAIN WHEEL AND BRAKE | 000 | 02/14/1986 |
| P3228 | ADJUSTMENT OF MAIN LANDING GEAR SYSTEM | 00F | 02/28/1986 |
| P3229 | INSTALLATION AND ADJUSTMENT OF THE EMERGENCY LANDING GEAR DOWN SYSTEM ON MU-300 | 00G | 02/14/1986 |
| P3243 | LEAK CHECK - BRAKE SYSTEM | 000 | 11/17/1989 |
| P3247 | MU-300 FLAP SYSTEM ADJUSTMENT (MHI) | 000 | 07/18/1983 |
| P3747 | MU-300 FLAP SYSTEM ADJUSTMENT (MHI)**PROCESS SPEC | 000 | 05/26/1988 |
| P4006 | ADJUSTMENT AND INSPECTION - CENTER PEDESTAL | 00E | 02/14/1986 |
| P4248 | OBSTRUCTION AND LEAKAGE CHECK - TUBING OF FUEL SYS. IN WING INTEGRAL TANK | 00A | 03/06/1986 |
| P4249 | LEAKAGE CHECK - WING INTEGRAL TANK | 00A | 03/06/1986 |
| P4253 | OBSTRUCTION AND LEAKAGE CHECK - FUEL SYSTEM IN FUSELAGE | 00B | 06/11/1987 |
| P4255 | FUNCTIONAL TEST REQUIREMENTS FOR CABIN LEAKAGE AND OPERATION TEST OF THE OUTFLOW | 00D | 06/20/1988 |
| P4257 | FUEL TANK, INSTL OF, INSPECTION STD. FOR - MU-300 | 00A | 02/20/1986 |

| | | | |
|--------|---|-----|------------|
| P4259 | LEAK CHECK - ENGINE BUILD UP | 00A | 02/20/1986 |
| P4261 | JT15D-4 ENGINE OPERATING PROCEDURES | 00B | 09/10/1992 |
| P4264 | FUNCTIONAL TEST REQUIREMENTS OF FUEL SYSTEM | 00B | 01/24/1989 |
| P4269 | PRESERVATION AND DEPRESERVATION - JT15D-4 ENGINE | 000 | 03/06/1986 |
| P4275 | LEAKAGE CHECK - BLEED AIR SYSTEM | 000 | 02/27/1986 |
| P4276 | STORAGE, HANDLING, INSPECTION AND INSTALLATION OF FLEXIBLE FUEL CELL | 00A | 02/21/1987 |
| P4282 | LEAKAGE CHECK - CABIN PRESS CONTROL MODULE | 000 | 02/27/1986 |
| P4283 | LEAKAGE, CHOKE, PRESSURE AND OPERATION TEST - DOOR SEAL, VACUUM AND CABIN TEMP. | 00B | 02/28/1986 |
| P4305 | FABRICATION AND INSTALLATION OF RETICULATED POLYURETHANE FOAM - MU-300 | 000 | 02/28/1986 |
| P4327 | FUNTIONAL TEST REQUIRMENTS - ENGINE CONTROL SYSTEM MU-300-10 | 000 | 03/18/1991 |
| P4336 | LEAKAGE CHECK - BLEEN AIR SYSTEM | 000 | 06/11/1987 |
| P4337 | VALVE OPERATION CHECK - BLEED AIR SYSTEM | 000 | 06/11/1987 |
| P4547 | INSTALLATION OF PLASTIC TUBES AND FITTINGS | 00A | 04/18/1986 |
| P4923 | CHOKE AND LEAKAGE TEST - OXYGEN LOW PRESSURE SYSTEM FOR COCKPIT, MHI | 000 | 02/14/1986 |
| P4924 | CHOKE AND LEAKAGE TEST - OXYGEN SYSTEM FOR COCKPIT, MAI. | 00A | 02/28/1986 |
| P5023 | PRINTED WIRING BOARD ELECTRONICS | 00A | 03/22/1990 |
| P5054 | CODE TABLE - ELECTRICAL PARTS MANUFACTURES | 000 | 10/25/1988 |
| P5058 | ELECTRICAL ITEM LIST - MU-300 | 00D | 10/24/1988 |
| P5061 | STORAGE, SIZE SELECTION AND APPLICATION OF HEAT SHRINKABLE MATERIALS | 000 | 02/13/1986 |
| P5200 | GENERAL PROCESS SPECIFICATION - ELECTRIC | 00B | 02/13/1986 |
| P5201 | ELECTRICAL BONDING-AIRCRAFT, MISSLE | 00K | 02/13/1986 |
| P5204 | FABRICATION OF ELECTRICAL CONNECTOR-GENERAL | 00C | 03/03/1986 |
| P5205 | DISPOSITION FOR END OF SHIELD WIRE | 00C | 03/03/1986 |
| P5206 | ASSYMLE OF TERMINAL - ELECTRICAL, CLIMP TYPE | 00E | 03/03/1986 |
| P5208 | INSTALLATION OF WIRES AND CABLES-AIRCRAFT | 00C | 03/03/1986 |
| P5210 | IDENTIFICATION: WIRING, AIRCRAFT | 00B | 02/13/1986 |
| P5211 | STOWAGE OF ELECTRICAL WIRING AND PLUGS - GENERAL | 00A | 03/03/1986 |
| P5212 | POTTING OF WIRE TERMINATION - GENERAL | 00A | 02/13/1986 |
| P5213 | FABRICATION OF ELECTRONIC CONNECTOR- | 00A | 02/01/1986 |
| P5214 | MARKING - OPERATING RANGE OF INSTRUMENT - GENERAL | 000 | 02/27/1986 |
| P5216 | SAFETY WIRING - CONNECTORS - GENERAL | 00E | 02/01/1986 |
| P52231 | PRE-INSTALLATION CHECK OUT REQUIREMENT FOR MU-300 YAW DAMPER SYSTEM | 00B | 02/14/1986 |
| P52252 | RESISTANCE REQUIREMENTS FOR ELECTRICAL BONDING AT MHI | 00G | 06/25/1986 |

| | | | |
|------------|--|-----|------------|
| P52256 | BATTERY MAINTENANCE | 00A | 02/14/1986 |
| P52292 | POWER SUPPLY MAINTENANCE FOR TYPE PS-823 | 000 | 03/06/1986 |
| P52320 | RESISTANCE REQUIREMENTS FOR ELECTRICAL | 000 | 03/01/1986 |
| P52321 | INSULATION AND DIELECTIC TEST REQUIREMENTS | 000 | 03/01/1986 |
| P52333 | FUNCTIONAL TEST REQUIREMENTS - ENGINE FIRE EXTINGUISHING SYSTEM | 00A | 03/01/1986 |
| P52338 | POWER SUPPLY MAINTENANCE FOR EMERGENCY LIGHT | 000 | 03/06/1986 |
| P52339 | MITSUBISHI SPEC****INSTALLATION OF CONVOLEX TUBE FOR MU-300 | 00A | 03/01/1986 |
| P52344 | FUNCTIONAL TEST REQUIREMENTS - DC POWER DISTRIBUTION SYSTEM - MHI | 000 | 03/06/1986 |
| P5525 | CODE LIST - TERMINAL | 00R | 08/05/1987 |
| P55302-099 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES | 00A | 10/31/1994 |
| P5544 | MITSUBISHI SPEC, SEALING FOR WIRING THROUGH PRESSURIZED BULKHEAD | 000 | 02/13/1986 |
| P5550 | ADJUSTMENT OF VOLTAGE SENSING UNIT | 000 | 03/06/1986 |
| P55514-002 | FUNCTIONAL TEST REQUIREMENTS - DC POWER DISTRIBUTION SYSTEM - MHI | 000 | 04/04/1977 |
| P5738 | CODE TABLE: ELECTRICAL WIRE AND CABLE | 00M | 09/13/1986 |
| P7448 | FUNCTIONAL TEST REQUIREMENTS FOR ELEVATOR CONTROL SYSTEM | 00D | 07/12/1988 |
| P7449 | FUNCTIONAL TEST REQUIREMENT FOR THE SPOILER CONTROL SYSTEM | 00F | 07/12/1988 |
| P7450 | FUNCTIONAL REQUIREMENT OF RUDDER CONTROL SYSTEM | 00D | 07/12/1988 |
| P7451 | FUNCTIONAL REQUIREMENTS OF THE HORIZONTAL STABILIZER TRIM CONTROL SYSTEM | 00G | 10/07/1988 |
| P7452 | FUNCTIONAL TEST REQUIREMENTS OF THE AILERON TRIM CONTROL SYSTEM | 00D | 09/21/1988 |
| P7453 | FUNCTIONAL TEST REQUIREMENTS OF THE RUDDER TRIM CONTROL SYSTEM | 00D | 07/12/1988 |
| P7454 | FUNCTIONAL TEST REQUIREMENTS FOR FLAP CONTROL SYSTEM | 00E | 07/12/1988 |
| P7455 | FUNCTIONAL TEST REQUIREMENTS FOR SPEED BRAKE SYSTEM | 00C | 07/12/1988 |
| P7456 | FUNCTIONAL TEST REQUIREMENTS FOR HYDRAULIC SYSTEM | 00C | 07/12/1988 |
| P7459 | ADJUSTMENT OF FLAP CONTROL SYSTEM | 00D | 02/13/1986 |
| P7503 | MAGNETIC PARTICLE INSPECTION - GENERAL**PROCESS SPEC | 00D | 03/03/1986 |
| P7504 | CASTINGS, CLASSIFICATION & INSPECTION OF | 00F | 02/14/1986 |
| P7511 | PROCESS SPECIFICATION PENETRANT INSPECTION - GENERAL | 00K | 02/14/1986 |
| P7513 | ULTRASONIC INSPECTION-GENERAL | 00D | 02/14/1986 |
| P7518 | RADIOGRAPHIC INSPECTION - GENERAL | 00B | 02/14/1986 |
| P7527 | EDDY CURRENT DETERMINATION OF ELECTRICAL CONDUCTIVITY FOR AL ALLOYS | 00A | 01/20/1992 |
| P7537 | QUALITY REQUIREMENTS AND INSPECTION METHODS OF CASTINGS | 000 | 03/18/1991 |
| P7540 | MEASURING GRAIN SIZE IN HIGH STRENGTH AL. ALLOYS | 000 | 02/14/1986 |
| P7703 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE STALLING SPEEDS | 000 | 04/07/1986 |
| P7704 | FLIGHT SPECIFICATION FOR MU-300 AIRPLANE: LONGITUDINAL CONTROL | 000 | 04/07/1986 |

| | | | |
|--------|---|-----|------------|
| P7705 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: DIRECTIONAL AND LATERAL CONTROL | 000 | 04/07/1986 |
| P7706 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: MINIMUM CONTROL SPEED (AIR) | 000 | 04/07/1986 |
| P7707 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: STATIC LONGITUDINAL STABILITY | 000 | 04/07/1986 |
| P7708 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: STATIC DIRECTIONAL AND LATERAL STABILITY | 000 | 04/07/1986 |
| P7709 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: DYNAMIC STABILITY | 00A | 04/07/1986 |
| P7710 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: STALL CHARACTERISTICS | 000 | 04/07/1986 |
| P7713 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: TRIM CHARACTERISTICS | 000 | 04/07/1986 |
| P7716 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: GROUND MINIMUM CONTROL SPEED | 00B | 04/07/1986 |
| P7723 | ENGINE AIR INTAKE DISTORTION SURVEY - MU-300 | 00A | 04/07/1986 |
| P7729 | ENGINE BLEED AIR FLOW MEASUREMENT - MU-300 | 00B | 07/11/1988 |
| P7743 | ENGINE INLET WATER INGESTION TEST - MU-300 | 00D | 04/07/1986 |
| P7744 | FUNCTION FLIGHT TEST OF SYSTEMS ON MU-300 | 00F | 04/07/1986 |
| P7745 | FUNCTION FLIGHT TEST OF ENGINE FIRE EXTINGUISHING SYSTEMS ON MU-300 | 00B | 04/07/1986 |
| P7749 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: SIMULATED FLIGHT CONTROL SYSTEM | 00B | 04/07/1986 |
| P7750 | FLIGHT TEST SPECIFICATION FOR MU-300 AIRPLANE: GROUND HANDLING CHARACTERISTICS | 000 | 04/07/1986 |
| P7751 | FLIGHT TEST SPECIFICATIONS FOR MU-300 AIRPLANE: CUT-OF-TRIM CHARACTERISTICS | 000 | 04/07/1986 |
| P7760 | DRAINAGE TEST ON MU-300 | 00A | 04/07/1986 |
| P7770 | FLIGHT TEST SPECIFICATION FOR SPZ-900 AFCS ON MU-300 | 00B | 04/07/1986 |
| P7772 | FLIGHT TEST PLAN - FAR 36 NOISE CERTIFICATION TEST (MU-300) | 00A | 04/07/1986 |
| P7775 | FUNCTION TEST REQUIREMENTS FOR SPZ-900 AUTOMATIC FLIGHT CONTROL SYSTEM, FLIGHT - | 00A | 06/25/1986 |
| P7783 | COMPANY FLIGHT TEST SPECIFICATION OF THRUST REVERSER SYSTEM, MU-300 | 00A | 04/07/1986 |
| P7796 | ENGINE AND GENERATOR COOLING TEST - MU-300-10 | 000 | 04/07/1986 |
| P7797 | BLEED AIRFLOW MEASUREMENT - MU-300-10 | 000 | 04/07/1986 |
| P7798 | MU-300-10 COMPANY FLIGHT TEST SPECIFICATION | 00B | 04/07/1986 |
| P7800 | FLIGHT TEST SPECIFICATION FOR S/N 1001, MU-300-10 | 000 | 04/07/1986 |
| P7801 | COMPONENT SURFACE TEMP. MEASUREMENT, MU-300-10 BLEED SYSTEM | 000 | 04/05/1986 |
| P7806 | MU-300-10 THRUST REVERSER FLIGHT TEST SPECIFICATION | 00A | 04/05/1986 |
| P7848 | FLIGHT TEST SPECIFICATION FOR MU-2 AIRPLANE TRIM CHARACTERISTICS WITH NOSE DOWN | 000 | 07/14/1992 |
| P7905 | OPTICAL INSPECTION OF THE TRANSPARENT PLASTIC MATERIAL | 00D | 03/22/1986 |
| P7929 | HARDNESS AND ELECTRICAL CONDUCTIVITY VALUES FOR LIGHT METALS | 00F | 01/09/1992 |
| P83631 | MEASUREMENT OF TEMPERATURE AND VIBRATION FOR ELECTRONICS COMPARTMENT - MU-300 | 00B | 04/05/1986 |
| P83656 | PERFORMANCE TEST REQUIREMENTS OF EMERGENCY LIGHTING SYSTEM | 00C | 04/05/1986 |

| | | | |
|--------|--|-----|------------|
| P83659 | ENGINEERING TEST REQUIREMENTS OF THE FUEL QUANTITY GAUGE SYSTEM | 00C | 04/05/1986 |
| P83722 | TANK VOLUME TEST - MAIN FUEL TANK, MU-300 | 00C | 04/05/1986 |
| P83730 | RIGIDITY AND FRICTION FORCE TEST - ENGINE CONTROL SYSTEM | 00C | 04/05/1986 |
| P83738 | PERFORMANCE TEST OF HYDRAULIC SYSTEM - MU-300 | 00D | 04/05/1986 |
| P83749 | COMBINATION TEST REQUIREMENTS OF LENS AND WING POSITION LIGHT | 00C | 04/05/1986 |
| P83756 | FLIGHT TEST REQUIREMENTS FOR MAGNETIC COMPASS - MU-300 | 000 | 04/07/1986 |
| P83770 | ENGINEERING TEST REQUIREMENTS FOR THE FUSELAGE FUEL QUANTITY GAUGE SYSTEM | 00C | 04/07/1986 |
| P83775 | OPERATION TEST OF ELECTRICAL TRIM CONTROL SYSTEM ON MU-300 | 00A | 04/07/1986 |
| P83838 | TANK VOLUME TEST - FUSELAGE FUEL TANK, MU-300 | 00A | 04/07/1986 |
| P83850 | FUNCTIONAL TEST OF FLAP AND SPEED BRAKE CONTROL SYSTEM IN FAILURE MODES - MU-300 | 00A | 04/07/1986 |
| P83851 | OPERATIONAL TEST OF OXYGEN SYSTEM ON GROUND - MU-300 | 000 | 04/07/1986 |
| P83852 | FUNTION TEST OF FUEL VENTING SYSTEM - MU-300 | 000 | 04/07/1986 |
| P83887 | TEST REQUIREMENTS FOR BINOCULAR COCKPIT VISIBILITY SURVEY | 00D | 04/07/1986 |
| P83895 | DUCT PROOF PRESSURE TEST - BLEED AIR & PNEUMATIC LINE MU-300 | 00A | 04/07/1986 |
| P83916 | OPERATIONAL TEST OF ELEVATOR RUDDER CONTROL SYSTEM - MU-300 | 00A | 04/07/1986 |
| P83991 | BRAKE SYTEM PROOF PRESSURE TEST | 000 | 04/07/1986 |
| P84020 | HYDRAULIC SYTEM PROOF PRESSURE TEST | 000 | 04/07/1986 |
| P84149 | THRUST REVERSER SYSTEM PROOF PRESSURE TEST | 00B | 04/07/1986 |
| P84172 | LIMITED CONTROL SYSTEM OPERATIONAL TEST, MU-300 | 000 | 04/07/1986 |
| P84255 | CONTROL SYSTEM OPERATIONAL TEST - MU-300 - RUDDER BIAS, U.K.T/C | 000 | 06/25/1986 |
| P84330 | DUCT PROOF PRESSURE TEST - BLEED AIR LINE MU-300-10 | 000 | 04/07/1986 |
| P84331 | ENGINE CONTROL SYSTEM RIGIDITY AND FRICTION FORCE TEST - MU-300-10 | 000 | 04/07/1986 |
| P84333 | AC POWER SYTEM EVALUATION TEST ON MU-300-10 | 00A | 04/07/1986 |
| P84355 | DC POWER SYSTEM GROUND FAULT TEST ON MU-300-10 | 00B | 04/07/1986 |
| P84372 | TEMPERATURE SURVEY OF INSTRUMENT PANEL - MU-300-10 | 000 | 04/07/1986 |
| P84379 | DC POWER SOURCE CHARACTERISTICS TEST ON MU-300-10 | 00A | 04/07/1986 |
| P85086 | GROUND FUNCTIONAL TEST REQUIREMENTS - ICE DETECTION SYSTEM, MU-2 | 000 | 07/13/1992 |
| P9000 | MASTER SPECIFICATION | 00E | 02/14/1986 |
| P9002 | INSTRUCTIONS FOR PROCUREMENT & USAGE OF STANDARD PARTS | 0AL | 09/22/1986 |
| P9014 | GENERAL REQUIREMENTS FOR STANDARD PARTS | 00M | 03/06/1986 |
| P9021 | APPLICABLE SPEC. & ST'D LIST, U.S.A. PUBLIC | 00J | 02/28/1986 |
| P9022 | REQUIREMENT FOR PROCUREMENT AND USAGE OF METALIC MATERALS - GENERAL | 00R | 01/14/1986 |
| P9031 | REQUIREMENT FOR PROCUREMENT AND USAGE OF MATALICS - GENERAL | 000 | 02/14/1986 |

| | | | |
|--------|--|-----|------------|
| P9076 | AUTHORITY FOR NON-FERROUS METALS SUBSTITUTION | 000 | 02/14/1986 |
| P9077 | AUTHORITY FOR STEEL AND HEAT RESISTANT ALLOYS SUBSTITUTION | 000 | 02/14/1986 |
| P9141 | INTERCHANGEABILITY AND REPLACEABILITY PARTS LIST MU-300-10 | 000 | 08/17/1988 |
| P9366 | PLANE CORROSION PREVENTIVE METHODS | 00A | 03/03/1986 |
| P9410 | PROCESS SPECIFICATION**MU-3 DATA RECORD | 00A | 09/16/1986 |
| P9411 | PROCESS SPECIFICATION**MU-3 LOFT DATA - BOOK 1 OF 6 | 00A | 09/16/1986 |
| P96041 | ADJUST PROCEDURE OF HINGE MOMENT CONTROL SURFACE | 00B | 02/18/1986 |
| P96318 | MU-300 PRE, THRU AND POST FLIGHT INSPECTION | 000 | 02/18/1986 |
| P96356 | ADJUSTMENT PROCDURE-ENTRANCE DOOR OF MU-300 | 000 | 10/17/1986 |
| P96450 | MU-300 PLANE PACKING PROCEDURE | 00A | 05/13/1986 |
| P96485 | MU-300-10 PRE. THRU AND POST FLIGHT INSPECTION (SPEC) | 00A | 03/05/1986 |
| P96506 | STANDARD REPAIR MANUAL - MU-300 | 000 | 03/10/1986 |
| P9942 | PROCESS SPEC***MU-300 CONTOUR SMOOTHNESS (ENG) | 00E | 10/27/1992 |
| P9967 | AIRPLANE WEIGHING PROCEDURE - MU-300 | 00A | 02/27/1986 |
| P9974 | MU-300 ALIGNMENT & SYMETRICAL CHECK | 00C | 03/01/1986 |
| P9988 | MU-300 PERIODIC INSPECTION | 00B | 02/14/1986 |
| P9989 | LUBRICATION PROCEDURE FOR MU-300 | 00C | 11/20/1986 |